PerMix
Perfect Mixing Technologies

COLLAGEN:
SCIENCE, STRUCTURE, AND INDUSTRIAL REALITY

The Molecular Backbone

Collagen is not just "a protein." It is a triple-helix structural protein built primarily from glycine, proline, and hydroxyproline arranged in a repeating Gly-X-Y sequence. That repetitive structure is what gives collagen its tensile strength.

When we process collagen industrially, what we are really doing is manipulating that structure:

- Keep it intact: structural biomaterial
- Partially denature it: gelatin
- Break it down further: collagen peptides

The degree of structural modification directly determines:

- Solubility
- Viscosity
- Gel strength
- Bioavailability
- Functional behavior in formulations

This is not marketing fluff. It's process chemistry.

TYPES OF COLLAGEN

There are at least 28 known collagen types biologically, but commercially:

Type I	Type II	Type III
Most abundant in skin, tendon, joint, and bone. Common in bovine, porcine and marine sources. Dominates in health supplements and beauty markets.	Cartilage-specific. Popular in joint-health supplements. Often derived from poultry and swine cartilage.	Often found with Type I. Structural connective tissues.

In practice, many commercial collagen peptide products are not "pure type isolates" but functional blends optimized for solubility and digestibility.

Authority in this space means understanding that label claims do not always reflect molecular purity — and that processing conditions determine functional performance more than marketing terminology.

PerMix
Perfect Mixing Technologies

EXTRACTION SCIENCE:
WHAT REALLY HAPPENS

Industrial collagen production is about controlled denaturation.

1 Pretreatment

In practice, many commercial collagen peptide products are not “pure type isolates” but functional blends optimized for solubility and digestibility.

This is not marketing fluff. It’s process chemistry.

This stage controls:

- Yield
- Molecular integrity
- Ash content
- Color

2 Extraction

Collagen is solubilized using:

- Acid extraction
- Alkaline extraction
- Enzymatic extraction
- Thermal conversion (for gelatin)

Temperature control here is critical. Too high and you over-degrade the structure.

3 Hydrolysis

Enzymatic hydrolysis cleaves long chains into peptides.

Key control parameters:

- Enzyme selection
- Time
- pH

This determines molecular weight distribution — often expressed in kDa.

Typical hydrolyzed collagen peptides:

- 2–5 kDa average molecular weight

Smaller peptides:

- Faster solubility
- Lower viscosity
- Different sensory characteristics

This is where process control separates premium ingredients from commodity ones.

PerMix
Perfect Mixing Technologies

COLLAGEN FORMS:
FROM RAW TO REFINED

Native Collagen	Used in biomedical and tissue engineering. Low solubility. Requires careful drying and milling.
Gelatin	Partially hydrolyzed. Forms thermo-reversible gels. Used in confectionary (not exclusively in gummies), desserts, dairy, capsules Important parameter: Bloom strength Measures gel strength. Higher bloom = stronger gel
Hydrolyzed Collagen (Collagen Peptides)	Fully hydrolyzed. No gel formation. Highly soluble. Dominates supplements, bars, and beverages.
Liquid Collagen	Concentrated peptide solutions. Requires microbial control and stabilization. Often used in ready-to-drink applications.
Collagen Paste / Slurry	Intermediate processing form. Used before drying. High viscosity. Critical mixing challenges.

PerMix
Perfect Mixing Technologies

PROCESS VARIABLES THAT DEFINE QUALITY

Molecular Weight Distribution

Determines

- Solubility
- Bioavailability
- Texture

Too broad a distribution?
Inconsistent functionality.

Moisture Content

Critical for:

- Shelf life
- Flowability
- Caking behavior

Particle Size Distribution (PSD)

Influences:

- Mixing homogeneity
- Dissolution speed
- Dusting
- Segregation risk

Bulk Density

Impacts:

- Packaging
- Feeder performance
- Blending uniformity

Hygroscopic Behavior

Collagen can absorb moisture.

Improper storage leads to clumping resulting in reduced performance.

PerMix
Perfect Mixing Technologies

COLLAGEN IN DIFFERENT INDUSTRIES

Nutraceuticals

Collagen peptides are blended with:

- Vitamin C (cofactor in collagen synthesis)
- Hyaluronic acid
- Biotin
- Minerals
- Botanicals

Challenge:

Low inclusion actives must distribute uniformly into large collagen base powder.

Segregation risk: High.

Solution requires: Careful PSD alignment and controlled blending dynamics.

Beverage

Collagen in:

- Protein shakes
- RTD coffees
- Beauty beverages

Key concern:

- Rapid hydration without fisheyes.

Hydration physics depends on:

- Particle surface area
- Wetting characteristics
- Mixing energy
- Liquid temperature

Authority means understanding the fluid dynamics of powder incorporation.

Gummy & Confectionery

Gelatin remains dominant.
Gel strength control is critical.
Overheating destroys functionality.
Shear control during mixing is essential to preserve bloom value.

Cosmetics

Topical collagen:

- Often hydrolyzed peptides.
- Used for film-forming and hydration.

Processing requirements:

- Precise dispersion into creams and emulsions.

Biomedical & Regenerative Medicine

High-purity collagen is used in:

- Wound dressings
- Injectable scaffolds
- Drug delivery matrices

These require:

- Controlled structure
- Minimal contamination
- Consistent fibril formation

This sector demands pharmaceutical-grade processing standards.

EMERGING TRENDS IN COLLAGEN

Marine Collagen Growth
Driven by sustainability and allergen positioning.

Recombinant / Bio-engineered Collagen
Fermentation-derived collagen mimetics.
Removes animal sourcing entirely..
Still emerging but technically fascinating.

Collagen + Functional Blends
Peptides fortified with:
- Adaptogens
- Electrolytes
- Protein isolates

Clean Label & Traceability
Consumers increasingly demand origin transparency.

PROCESS ENGINEERING CHALLENGES ACROSS THE COLLAGEN VALUE CHAIN

- Agglomeration during drying
- Dust management during transfer
- Uniform micro-ingredient distribution
- Controlled hydration in liquids
- Shear management to preserve functionality
- Hygroscopic clumping in storage
- Thermal sensitivity during processing

Each one of these is a design consideration.

PerMix
Perfect Mixing Technologies

HOW PERMIX SUPPORTS COLLAGEN PROCESSING

PerMix focuses on controlled mixing energy.

Powder Blending

Ribbon, paddle, and plow configurations depending on:

- Fragility
- Inclusion rate
- Batch size
- Required uniformity

Liquid & Emulsion Systems

Inline dispersion systems ensure:

- Rapid hydration
- Uniform viscosity
- Reduced fisheyes

Paste & Slurry Mixing

High viscosity collagen intermediates require:

- Axial flow control
- Dead-zone elimination
- Temperature management

Sanitary Engineering

Critical for:

- Food
- Nutraceutical
- Cosmetic
- Biomedical segments

PerMix is not just blending ingredients — it is managing energy input relative to collagen's structural sensitivity.

HOW DP PULVERIZERS SUPPORT COLLAGEN PROCESSING

DP Pulverizers addresses the particle engineering side.

Controlled Milling

Used for:

- Conditioning dried collagen sheets
- De-lumping powders
- Aligning PSD for blending

Air Classification

Ensures tight distribution. Improves:

- Flow
- Dissolution
- Uniformity

Heat Management

Critical during milling to avoid protein degradation.

DP does not just reduce size. It engineers particle behavior.

PerMix
Perfect Mixing Technologies

PerMix
Perfect Mixing Technologies



Headquarters

PerMix Israel
Adi 17940, Israel
Contact: Mr. Arie Srugo
Tel: +972-54-908-0144
Email: srugoa@permixtec.com
www.permixtec.com

Global Factory & Office

PerMix North America (Factory)
Chicago, Illinois, 60601, USA
Contact: John Paul
Tel: +1 630-649-1357
Email: john.paul@permixtec.com
www.permixmixers.com

PerMix India
Navi Mumbai, 400 708, India
Contact: Mr. Anant Wagh
Tel: +91 99304 69228
Email: india@permixtec.com
www.permixmixers.in

PerMix Europe (Factory)
9900 Eeklo - Belgium
Contact: Dimitri Baeten
Tel: +32 9 430 50 17
Email: dimitri.eu@permixtec.com
www.permixmixers-eu.com

PerMix UK
Scotland, Great Britain
Contact: Laura Griffin
Email: laura.griffin@permixtec.com
www.permixmixers.co.uk

PerMix China (Factory)
Shanghai, 201821, China
Contact: Aaron Huang
Tel: +86 133 911 68218
Email: aaron.h@permixtec.com
www.permix.cn

PerMix Ukraine
Kyiv, 02095, Ukraine
Contact: Viacheslav Pishyi
Tel: +38 067 45 44 694
Email: ua@permixtec.com
www.permixtec.com