



PerMix

Perfect Mixing Technologies



PRICE LIST

2024

Prices Include:
DAP Door to Door Delivery
On Standard Models

For:

North America, Central America,
South America, & UK



PerMix North America

Chicago, IL 60001

+1 (312) 883-7432 Office

+1 (855) PERMIX-USA Toll Free

www.permixmixers.com

CONTENT

PRICE LIST FOR AGENT

| | | |
|-----------|---|----|
| 01 | PTP Paddle Mixer | 3 |
| 02 | PTS Plow Mixer | 4 |
| 02a | PTS-C Continuous Mixer (Plow) | 5 |
| 03 | PRB Ribbon Blender | 6 |
| 04.1 | PFB-T Twin-shaft Fluidized Mixer (Twin-drive) | 7 |
| 04.2 | PFB Twin-shaft Fluidized Mixer (Single-drive) | 8 |
| 04a | PFB-S Single-shaft Fluidized Mixer | 9 |
| 05 | PNA Conical Screw Mixer | 10 |
| 06 | PVR Vertical Ribbon Mixer | 11 |
| 06a | PAM Vertical Paddle Mixer | 12 |
| 07 | PDI High Speed Mixer | 13 |
| 08 | PVM V-cone Mixer | 14 |
| 09 | PDC Double Cone Mixer | 15 |
| 10 | PTU 3D Mixer | 16 |
| 11 | PDR Drum Hoop Mixer | 17 |
| 12.1 | PTP-D Vacuum Mixer Dryer (Paddle) | 18 |
| 21.1 | PSG Sigma Mixer | 19 |
| 21.2 | PSG-X Sigma Mixer Extruder | 20 |
| 22 | PDP Double Planetary Mixer | 21 |
| 24 | PVC Vacuum Emulsifying Mixer | 22 |
| 25 | PD High Speed Disperser | 23 |
| 31.1 | PS-C Top Entry High Shear Mixer | 24 |
| 31.2 | PS-B Bottom Entry High Shear Mixer | 25 |
| 32.1 | PC-1 Single-stage Inline Emulsifying Mixer | 26 |
| 32.2 | PC-3 Three-stage Inline Emulsifying Mixer | 27 |
| 33 | PCH Shear Pump | 28 |
| 34.1 | PT-C/Q-LS Powder Liquid Mixer (Low Shear) | 29 |
| 34.2 | PT-C/Q-HS Powder Liquid Mixer (High Shear) | 30 |
| 34.3 | PT-C/Q-Y Powder Liquid Mixer (Special Stator Rotor) | 31 |
| 34.4 | PT-C/Q-F Powder Liquid Mixer (Two Pumps) | 32 |
| 35.1 | PJ-C-N Jet Mixer (Low Shear) | 33 |
| 35.2 | PJ-C-O Jet Mixer (High Shear) | 34 |
| 37 | PM Magnetic Agitator | 35 |
| 41 | PDA Vacuum Deaerator | 36 |
| Options_1 | FOB & Packing | 37 |
| Options_2 | Welding, Polishing, Others | 38 |
| Options_3 | Adder for Jacket, Insulation & Cladding | 39 |



PTP SINGLE SHAFT PADDLE MIXER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Chopper in SS304 (unit price) | Chopper in SS316L (unit price) | Chopper (max. no.) | Price less w/o drive |
|-----------|-----------|------------------|-----------------|---------------------|------------------|---------------------|-------------------------------|--------------------------------|--------------------|----------------------|
| PTS-5L | 1.1 | \$24,075 | \$24,750 | \$25,650 | \$26,100 | \$27,000 | - | - | - | \$675 |
| PTS-10L | 1.1 | \$25,425 | \$26,100 | \$27,000 | \$27,450 | \$28,125 | - | - | - | \$675 |
| PTS-45 | 2.2 | \$20,025 | \$21,825 | \$22,950 | \$22,950 | \$24,300 | \$5,175 | \$5,850 | 1 | \$675 |
| PTS-70 | 3 | \$21,375 | \$23,850 | \$24,750 | \$25,425 | \$26,325 | \$5,175 | \$5,850 | 1 | \$675 |
| PTS-100 | 4 | \$22,275 | \$25,875 | \$27,450 | \$27,450 | \$29,025 | \$5,175 | \$5,850 | 1 | \$788 |
| PTS-200 | 5.5 | \$24,525 | \$28,575 | \$30,825 | \$30,375 | \$32,625 | \$5,175 | \$5,850 | 1 | \$900 |
| PTS-300 | 7.5 | \$26,100 | \$31,500 | \$34,650 | \$33,975 | \$36,900 | \$5,175 | \$5,850 | 1 | \$1,013 |
| PTS-500 | 11 | \$29,700 | \$36,000 | \$40,050 | \$38,475 | \$42,750 | \$5,175 | \$5,850 | 2 | \$1,125 |
| PTS-750 | 15 | \$34,650 | \$42,975 | \$47,250 | \$46,350 | \$50,625 | \$5,175 | \$5,850 | 2 | \$1,350 |
| PTS-1000 | 18.5 | \$39,150 | \$48,825 | \$54,675 | \$52,875 | \$58,500 | \$5,175 | \$5,850 | 2 | \$2,250 |
| PTS-1500 | 22 | \$47,925 | \$60,075 | \$67,050 | \$65,025 | \$72,000 | \$5,850 | \$6,750 | 2 | \$2,700 |
| PTS-2000 | 30 | \$59,625 | \$72,675 | \$80,325 | \$78,750 | \$86,175 | \$5,850 | \$6,750 | 3 | \$4,050 |
| PTS-3000 | 37 | \$74,250 | \$89,775 | \$100,125 | \$97,650 | \$108,000 | \$5,850 | \$6,750 | 3 | \$4,050 |
| PTS-4000 | 45 | \$86,625 | \$104,850 | \$116,100 | \$114,075 | \$125,550 | \$5,850 | \$6,750 | 4 | \$5,400 |
| PTS-5000 | 55 | \$99,900 | \$119,700 | \$133,200 | \$131,175 | \$144,675 | \$5,850 | \$6,750 | 4 | \$6,075 |
| PTS-6000 | 55 | \$111,375 | \$135,900 | \$151,425 | \$145,575 | \$161,100 | \$5,850 | \$6,750 | 4 | \$6,075 |
| PTS-8000 | 75 | \$122,400 | \$148,275 | \$165,600 | \$159,075 | \$176,400 | \$5,850 | \$6,750 | 6 | \$9,000 |
| PTS-10000 | 90 | \$135,900 | \$166,725 | \$185,175 | \$178,200 | \$196,875 | \$7,875 | \$9,225 | 6 | \$12,375 |
| PTS-12000 | 90 | \$160,425 | \$197,775 | \$219,150 | \$211,500 | \$232,875 | \$7,875 | \$9,225 | 6 | \$13,500 |
| PTS-15000 | 110 | \$182,250 | \$222,300 | \$247,050 | \$238,050 | \$262,800 | \$7,875 | \$9,225 | 8 | \$14,850 |
| PTS-20000 | 132 | \$203,850 | \$249,975 | \$277,875 | \$267,525 | \$295,425 | \$7,875 | \$9,225 | 8 | \$19,800 |
| PTS-25000 | 160 | \$228,375 | \$277,875 | \$308,700 | \$297,675 | \$328,275 | \$7,875 | \$9,225 | 8 | \$23,625 |
| PTS-30000 | 200 | \$249,975 | \$305,550 | \$339,750 | \$327,150 | \$361,125 | \$7,875 | \$9,225 | 8 | \$28,125 |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304"
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal surface to be polished to 80 grit, External stainless steel surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: High speed chopper; Double jacket; Mirror polish, Bomb bay door, etc
- Bigger sizes are available as per request



PTS PLOUGHSHARE MIXER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Chopper in SS304 (unit price) | Chopper in SS316L (unit price) | Chopper (max. no.) | Price less w/o drive |
|-----------|-----------|------------------|-----------------|---------------------|------------------|---------------------|-------------------------------|--------------------------------|--------------------|----------------------|
| PTS-5L | 1.1 | \$24,075 | \$24,750 | \$25,650 | \$26,100 | \$27,000 | - | - | - | \$675 |
| PTS-10L | 1.1 | \$25,425 | \$26,100 | \$27,000 | \$27,450 | \$28,125 | - | - | - | \$675 |
| PTS-45 | 2.2 | \$22,050 | \$24,075 | \$25,200 | \$25,650 | \$26,550 | \$5,175 | \$5,850 | 1 | \$900 |
| PTS-70 | 3 | \$23,850 | \$26,100 | \$27,450 | \$27,900 | \$29,250 | \$5,175 | \$5,850 | 1 | \$1,013 |
| PTS-100 | 4 | \$24,525 | \$28,575 | \$30,375 | \$30,375 | \$32,175 | \$5,175 | \$5,850 | 1 | \$1,125 |
| PTS-200 | 5.5 | \$27,000 | \$31,275 | \$33,975 | \$33,300 | \$36,000 | \$5,175 | \$5,850 | 1 | \$1,350 |
| PTS-300 | 7.5 | \$28,800 | \$34,650 | \$38,250 | \$37,350 | \$40,950 | \$5,175 | \$5,850 | 1 | \$2,250 |
| PTS-500 | 11 | \$32,850 | \$39,600 | \$44,100 | \$42,525 | \$46,800 | \$5,175 | \$5,850 | 2 | \$2,700 |
| PTS-750 | 15 | \$38,025 | \$47,025 | \$51,975 | \$51,075 | \$55,800 | \$5,175 | \$5,850 | 2 | \$4,050 |
| PTS-1000 | 18.5 | \$43,200 | \$53,775 | \$60,075 | \$58,050 | \$64,125 | \$5,175 | \$5,850 | 2 | \$4,050 |
| PTS-1500 | 22 | \$52,875 | \$65,925 | \$73,800 | \$71,325 | \$79,200 | \$5,850 | \$6,750 | 2 | \$5,400 |
| PTS-2000 | 30 | \$65,475 | \$79,875 | \$88,200 | \$86,625 | \$94,950 | \$5,850 | \$6,750 | 3 | \$6,075 |
| PTS-3000 | 37 | \$81,675 | \$98,550 | \$110,250 | \$107,100 | \$118,800 | \$5,850 | \$6,750 | 3 | \$9,000 |
| PTS-4000 | 45 | \$95,400 | \$115,425 | \$127,800 | \$125,775 | \$138,150 | \$5,850 | \$6,750 | 4 | \$12,375 |
| PTS-5000 | 55 | \$109,800 | \$131,625 | \$146,700 | \$144,225 | \$159,075 | \$5,850 | \$6,750 | 4 | \$13,500 |
| PTS-6000 | 55 | \$122,400 | \$149,625 | \$166,275 | \$160,425 | \$177,300 | \$5,850 | \$6,750 | 4 | \$13,500 |
| PTS-8000 | 75 | \$134,550 | \$163,125 | \$182,250 | \$175,275 | \$194,400 | \$5,850 | \$6,750 | 6 | \$14,850 |
| PTS-10000 | 90 | \$149,625 | \$183,375 | \$203,850 | \$196,425 | \$216,900 | \$7,875 | \$9,225 | 6 | \$19,800 |
| PTS-12000 | 90 | \$176,625 | \$217,350 | \$241,200 | \$232,425 | \$256,275 | \$7,875 | \$9,225 | 6 | \$19,800 |
| PTS-15000 | 110 | \$200,250 | \$244,575 | \$271,800 | \$261,900 | \$289,125 | \$7,875 | \$9,225 | 8 | \$23,625 |
| PTS-20000 | 132 | \$224,100 | \$274,950 | \$305,550 | \$294,525 | \$324,900 | \$7,875 | \$9,225 | 8 | \$28,125 |
| PTS-25000 | 160 | \$251,325 | \$305,550 | \$339,750 | \$327,150 | \$361,125 | \$7,875 | \$9,225 | 8 | \$34,875 |
| PTS-30000 | 200 | \$274,950 | \$336,150 | \$373,725 | \$360,000 | \$397,350 | \$7,875 | \$9,225 | 8 | \$40,500 |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304".
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal surface to be polished to 80 grit, External stainless steel surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Motor/Gearbox by reliable suppliers
- Electric control cabinet NOT included, except PTS-5L, PTS-10L
- Options: High speed chopper; Heating/Cooling jacket; Mirror polish, Bomb bay door, etc
- Bigger sizes are available as per request.



PTS-C CONTINUOUS PLOUGHSHARE MIXER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Chopper in SS304 (unit price) | Chopper in SS316L (unit price) | Chopper (max. no.) | Price less w/o drive |
|------------|-----------|------------------|-----------------|---------------------|------------------|---------------------|-------------------------------|--------------------------------|--------------------|----------------------|
| PTS-200C | 5.5 | \$28,575 | \$35,775 | \$37,800 | \$38,475 | \$40,725 | \$5,175 | \$5,850 | 2 | \$1,350 |
| PTS-400C | 11 | \$31,275 | \$39,375 | \$42,525 | \$42,075 | \$45,225 | \$5,175 | \$5,850 | 2 | \$2,700 |
| PTS-600C | 15 | \$39,600 | \$47,925 | \$53,100 | \$51,750 | \$56,925 | \$5,175 | \$5,850 | 2 | \$4,050 |
| PTS-1000C | 22 | \$44,100 | \$56,700 | \$62,775 | \$60,975 | \$67,275 | \$5,175 | \$5,850 | 4 | \$5,400 |
| PTS-1500C | 30 | \$49,275 | \$67,275 | \$74,250 | \$72,900 | \$79,875 | \$5,850 | \$6,750 | 4 | \$6,075 |
| PTS-2000C | 45 | \$55,800 | \$72,225 | \$80,550 | \$78,750 | \$86,850 | \$5,850 | \$6,750 | 4 | \$12,375 |
| PTS-3000C | 55 | \$67,950 | \$94,500 | \$105,300 | \$102,375 | \$113,400 | \$5,850 | \$6,750 | 4 | \$13,500 |
| PTS-4000C | 90 | \$93,375 | \$114,300 | \$126,000 | \$124,425 | \$136,125 | \$5,850 | \$6,750 | 6 | \$19,800 |
| PTS-6000C | 110 | \$124,650 | \$150,300 | \$165,600 | \$163,125 | \$178,200 | \$5,850 | \$6,750 | 6 | \$23,625 |
| PTS-8000C | 160 | \$145,350 | \$175,725 | \$194,625 | \$191,250 | \$210,150 | \$5,850 | \$6,750 | 8 | \$34,875 |
| PTS-10000C | 160 | \$167,400 | \$200,700 | \$223,650 | \$219,600 | \$242,550 | \$7,875 | \$9,225 | 8 | \$34,875 |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304".
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal surface to be polished to 80 grit, External stainless steel surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Motor/Gearbox by reliable suppliers
- Electric control cabinet NOT included, except PTS-5L, PTS-10L
- Options: High speed chopper; Heating/Cooling jacket; Mirror polish, Bomb bay door, etc
- Bigger sizes are available as per request.



PRB RIBBON MIXER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive | Extra for Stub-shaft |
|-----------|-----------|------------------|-----------------|---------------------|------------------|---------------------|----------------------|----------------------|
| PRB-100 | 2.2 | \$13,050 | \$15,075 | \$17,325 | \$16,200 | \$18,675 | \$900 | \$2,250 |
| PRB-300 | 4 | \$13,950 | \$17,325 | \$20,925 | \$19,125 | \$22,725 | \$1,125 | \$2,250 |
| PRB-500 | 5.5 | \$18,675 | \$22,725 | \$27,000 | \$25,200 | \$29,250 | \$1,350 | \$3,375 |
| PRB-1000 | 11 | \$28,125 | \$36,000 | \$43,200 | \$39,825 | \$47,025 | \$2,700 | \$4,500 |
| PRB-2000 | 15 | \$35,775 | \$46,350 | \$55,575 | \$51,525 | \$60,750 | \$4,050 | \$6,750 |
| PRB-3000 | 18.5 | \$43,650 | \$56,700 | \$67,275 | \$64,350 | \$75,150 | \$4,050 | \$9,000 |
| PRB-4000 | 22 | \$58,050 | \$74,475 | \$88,200 | \$83,475 | \$97,200 | \$5,400 | \$9,000 |
| PRB-5000 | 22 | \$67,725 | \$85,725 | \$104,175 | \$96,975 | \$115,650 | \$5,400 | \$11,250 |
| PRB-6000 | 30 | \$75,825 | \$95,400 | \$116,100 | \$108,225 | \$128,925 | \$6,075 | \$11,250 |
| PRB-8000 | 37 | \$90,000 | \$113,625 | \$138,600 | \$128,925 | \$153,900 | \$9,000 | \$12,375 |
| PRB-10000 | 45 | \$109,350 | \$136,800 | \$167,625 | \$157,275 | \$188,100 | \$12,375 | \$12,375 |
| PRB-12000 | 55 | \$127,125 | \$160,425 | \$200,025 | \$184,725 | \$224,325 | \$13,500 | \$13,500 |
| PRB-15000 | 75 | \$145,350 | \$185,850 | \$225,675 | \$213,750 | \$253,575 | \$14,850 | \$13,500 |
| PRB-20000 | 90 | \$169,425 | \$217,350 | \$275,625 | \$255,600 | \$313,875 | \$19,800 | \$14,625 |
| PRB-25000 | 110 | \$198,225 | \$252,000 | \$312,075 | \$292,950 | \$353,025 | \$23,625 | \$15,750 |
| PRB-30000 | 132 | \$213,975 | \$268,650 | \$340,200 | \$311,850 | \$383,400 | \$28,125 | \$18,000 |

- ☞ Price (in USD)
- ☞ "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304"
- ☞ Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- ☞ Polishing: Internal surface to be polished to 80 grit, External stainless steel surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- ☞ Motor/Gearbox by reliable suppliers
- ☞ Electric control cabinet is NOT included.
- ☞ Options: Stub-shaft; Double jacket; Mirror polish, Bomb bay door, etc
- ☞ Bigger sizes are available as per request.
- Only available in the UK



PFB-T TWIN-SHAFT PADDLE MIXER (TWIN DRIVES)

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive | Extra for Stub-shaft | Extra for Hydrodynamic Couplings (2x) |
|------------|-----------|------------------|-----------------|---------------------|------------------|---------------------|----------------------|----------------------|---------------------------------------|
| PFB-10T | 0.37x2 | \$19,350 | \$23,850 | \$27,000 | \$26,550 | \$29,700 | \$900 | \$2,250 | - |
| PFB-25T | 0.55x2 | \$21,375 | \$26,550 | \$29,925 | \$29,475 | \$32,850 | \$900 | \$2,250 | - |
| PFB-60T | 0.75x2 | \$27,000 | \$33,075 | \$37,575 | \$36,900 | \$41,400 | \$1,125 | \$2,700 | - |
| PFB-100T | 2.2x2 | \$29,475 | \$37,350 | \$40,275 | \$40,050 | \$43,200 | \$1,350 | \$3,375 | \$2,700 |
| PFB-200T | 2.2x2 | \$36,225 | \$45,225 | \$49,500 | \$49,275 | \$53,325 | \$1,575 | \$3,375 | \$2,700 |
| PFB-300T | 3x2 | \$42,975 | \$53,550 | \$58,275 | \$58,275 | \$62,775 | \$2,700 | \$3,375 | \$2,700 |
| PFB-500T | 4x2 | \$49,950 | \$62,550 | \$70,200 | \$67,950 | \$75,600 | \$3,150 | \$5,175 | \$2,700 |
| PFB-750T | 5.5x2 | \$63,450 | \$78,075 | \$87,975 | \$85,950 | \$95,850 | \$4,950 | \$5,175 | \$4,050 |
| PFB-1000T | 5.5x2 | \$68,850 | \$85,050 | \$95,850 | \$93,375 | \$103,950 | \$4,950 | \$6,750 | \$4,050 |
| PFB-2000T | 11x2 | \$82,575 | \$102,375 | \$114,975 | \$112,500 | \$124,875 | \$6,525 | \$10,125 | \$5,850 |
| PFB-3000T | 15x2 | \$101,250 | \$126,450 | \$142,425 | \$141,300 | \$157,050 | \$10,800 | \$13,500 | \$7,200 |
| PFB-4000T | 15x2 | \$119,025 | \$148,725 | \$167,400 | \$166,275 | \$184,950 | \$10,800 | \$13,500 | \$7,200 |
| PFB-5000T | 18.5x2 | \$130,725 | \$162,450 | \$182,700 | \$180,900 | \$201,150 | \$14,850 | \$16,875 | \$7,200 |
| PFB-6000T | 22x2 | \$142,425 | \$175,725 | \$197,325 | \$195,975 | \$217,575 | \$16,200 | \$16,875 | \$8,550 |
| PFB-8000T | 30x2 | \$173,025 | \$214,875 | \$241,200 | \$243,675 | \$270,225 | \$17,775 | \$18,675 | \$8,550 |
| PFB-10000T | 30x2 | \$196,650 | \$243,900 | \$274,050 | \$276,975 | \$306,900 | \$17,775 | \$18,675 | \$8,550 |
| PFB-12000T | 37x2 | \$238,050 | \$292,500 | \$328,950 | \$323,550 | \$360,000 | \$23,850 | \$20,250 | \$8,550 |
| PFB-15000T | 45x2 | \$281,475 | \$346,050 | \$388,800 | \$382,500 | \$425,475 | \$28,350 | \$20,250 | \$9,900 |
| PFB-20000T | 55x2 | \$339,750 | \$417,150 | \$468,900 | \$461,025 | \$512,775 | \$33,750 | \$22,050 | \$11,250 |

- ☞ PFB-T Mixer is with twin drive, tangential paddles, and bomb bay doors for discharge
- ☞ Price (in USD)
- ☞ "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304"
- ☞ Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- ☞ Polishing: Internal surface to be polished to 80 grit, External stainless steel surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- ☞ Motor/Gearbox by reliable suppliers
- ☞ Electric control cabinet is NOT included.
- ☞ Options: Stub-shaft; Hydrodynamic Couplings; Overhead pin mill, Liquid adding device, Mirror polishing, etc
- ☞ Bigger sizes are available as per request.



PFB TWIN-SHAFT PADDLE MIXER (SINGLE DRIVE)

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive | Extra for Stub-shaft | Extra for Hydrodynamic Couplings (2x) |
|-----------|-----------|------------------|-----------------|---------------------|------------------|---------------------|----------------------|----------------------|---------------------------------------|
| PFB-10 | 0.55 | \$17,775 | \$22,275 | \$25,650 | \$25,200 | \$28,575 | \$675 | \$2,250 | - |
| PFB-25 | 0.75 | \$20,025 | \$24,750 | \$28,125 | \$27,675 | \$31,050 | \$720 | \$2,250 | - |
| PFB-60 | 1.5 | \$24,750 | \$31,050 | \$35,550 | \$34,650 | \$39,150 | \$900 | \$2,700 | - |
| PFB-100 | 3 | \$27,225 | \$34,650 | \$38,025 | \$37,800 | \$41,175 | \$1,125 | \$3,375 | \$1,350 |
| PFB-200 | 4 | \$33,300 | \$42,525 | \$46,350 | \$46,350 | \$50,175 | \$1,350 | \$3,375 | \$1,350 |
| PFB-300 | 5.5 | \$39,375 | \$49,950 | \$54,675 | \$54,675 | \$59,175 | \$2,250 | \$3,375 | \$2,025 |
| PFB-500 | 7.5 | \$45,900 | \$58,500 | \$65,925 | \$63,675 | \$71,100 | \$2,700 | \$5,175 | \$2,025 |
| PFB-750 | 11 | \$58,050 | \$72,900 | \$82,800 | \$80,775 | \$90,675 | \$4,050 | \$5,175 | \$2,925 |
| PFB-1000 | 11 | \$63,225 | \$79,425 | \$90,000 | \$87,750 | \$98,325 | \$4,050 | \$6,750 | \$2,925 |
| PFB-2000 | 18.5 | \$75,825 | \$95,850 | \$108,225 | \$105,525 | \$117,900 | \$5,400 | \$10,125 | \$3,600 |
| PFB-3000 | 30 | \$92,925 | \$118,350 | \$134,100 | \$133,200 | \$148,950 | \$9,000 | \$13,500 | \$4,275 |
| PFB-4000 | 30 | \$109,125 | \$139,275 | \$157,500 | \$156,600 | \$174,825 | \$9,000 | \$13,500 | \$4,275 |
| PFB-5000 | 37 | \$119,700 | \$151,650 | \$171,900 | \$170,325 | \$190,350 | \$12,375 | \$16,875 | \$4,275 |
| PFB-6000 | 45 | \$130,725 | \$164,025 | \$185,850 | \$184,050 | \$205,650 | \$13,500 | \$16,875 | \$4,950 |
| PFB-8000 | 55 | \$158,625 | \$200,250 | \$227,025 | \$229,275 | \$255,825 | \$14,850 | \$18,675 | \$5,625 |
| PFB-10000 | 55 | \$180,450 | \$227,700 | \$257,625 | \$260,550 | \$290,475 | \$14,850 | \$18,675 | \$5,625 |
| PFB-12000 | 75 | \$218,700 | \$272,925 | \$309,375 | \$303,750 | \$340,200 | \$19,800 | \$20,250 | \$6,300 |
| PFB-15000 | 90 | \$258,525 | \$322,650 | \$365,625 | \$359,325 | \$402,300 | \$23,625 | \$20,250 | \$6,975 |
| PFB-20000 | 110 | \$311,625 | \$389,250 | \$441,000 | \$433,350 | \$485,100 | \$28,125 | \$22,050 | \$8,550 |

- ☞ PFB Mixer is with single drive, overlapping paddles, and bomb bay doors for discharge
- ☞ Price (in USD)
- ☞ "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304"
- ☞ Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- ☞ Polishing: Internal surface to be polished to 80 grit, External stainless steel surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- ☞ Motor/Gearbox by reliable suppliers
- ☞ Electric control cabinet is NOT included.
- ☞ Options: Stub-shaft; Hydrodynamic Couplings; Overhead pin mill, Liquid adding device, Mirror polishing, etc
- ☞ Bigger sizes are available as per request.



PFBS SINGLE-SHAFT FLUIDIZED MIXER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Chopper in SS304 (unit price) | Chopper in SS316L (unit price) | Chopper (max. no.) | Price less w/o drive | Extra for Stub-shaft |
|------------|-----------|------------------|-----------------|---------------------|------------------|---------------------|-------------------------------|--------------------------------|--------------------|----------------------|----------------------|
| PFBS-100 | 2.2 | \$23,400 | \$27,225 | \$29,025 | \$29,025 | \$30,825 | \$5,175 | \$5,850 | 1 | \$788 | \$2,250 |
| PFBS-200 | 3 | \$25,650 | \$29,925 | \$32,400 | \$31,725 | \$34,200 | \$5,175 | \$5,850 | 1 | \$900 | \$2,250 |
| PFBS-300 | 4 | \$27,450 | \$33,075 | \$36,450 | \$35,550 | \$38,925 | \$5,175 | \$5,850 | 1 | \$1,013 | \$2,250 |
| PFBS-500 | 5.5 | \$31,275 | \$37,800 | \$42,075 | \$40,725 | \$45,000 | \$5,175 | \$5,850 | 2 | \$1,125 | \$3,375 |
| PFBS-750 | 7.5 | \$36,225 | \$45,000 | \$49,725 | \$48,600 | \$53,325 | \$5,175 | \$5,850 | 2 | \$1,350 | \$3,375 |
| PFBS-1000 | 11 | \$41,175 | \$51,525 | \$57,150 | \$55,575 | \$61,425 | \$5,175 | \$5,850 | 2 | \$2,250 | \$4,500 |
| PFBS-1500 | 15 | \$50,175 | \$63,225 | \$70,425 | \$68,400 | \$75,600 | \$5,850 | \$6,750 | 2 | \$2,700 | \$4,500 |
| PFBS-2000 | 18.5 | \$62,325 | \$76,275 | \$84,375 | \$82,800 | \$90,900 | \$5,850 | \$6,750 | 3 | \$4,050 | \$6,750 |
| PFBS-3000 | 22 | \$78,075 | \$94,275 | \$105,075 | \$102,150 | \$113,175 | \$5,850 | \$6,750 | 3 | \$4,050 | \$9,000 |
| PFBS-4000 | 30 | \$91,125 | \$110,250 | \$121,950 | \$120,150 | \$131,625 | \$5,850 | \$6,750 | 4 | \$5,400 | \$9,000 |
| PFBS-5000 | 37 | \$104,850 | \$125,775 | \$139,950 | \$137,700 | \$151,875 | \$5,850 | \$6,750 | 4 | \$6,075 | \$11,250 |
| PFBS-6000 | 37 | \$116,775 | \$142,650 | \$158,850 | \$153,000 | \$169,200 | \$5,850 | \$6,750 | 4 | \$6,075 | \$11,250 |
| PFBS-8000 | 45 | \$128,250 | \$155,475 | \$173,925 | \$167,175 | \$185,625 | \$5,850 | \$6,750 | 6 | \$9,000 | \$12,375 |
| PFBS-10000 | 55 | \$142,650 | \$175,275 | \$194,625 | \$187,650 | \$207,000 | \$7,875 | \$9,225 | 6 | \$12,375 | \$12,375 |
| PFBS-12000 | 75 | \$168,525 | \$207,450 | \$230,400 | \$222,075 | \$244,800 | \$7,875 | \$9,225 | 6 | \$13,500 | \$13,500 |
| PFBS-15000 | 75 | \$191,250 | \$233,325 | \$259,200 | \$249,975 | \$275,850 | \$7,875 | \$9,225 | 8 | \$14,850 | \$13,500 |
| PFBS-20000 | 90 | \$213,975 | \$262,575 | \$291,825 | \$281,250 | \$310,500 | \$7,875 | \$9,225 | 8 | \$19,800 | \$14,625 |
| PFBS-25000 | 110 | \$239,850 | \$291,825 | \$324,225 | \$312,525 | \$344,925 | \$7,875 | \$9,225 | 8 | \$23,625 | \$15,750 |
| PFBS-30000 | 132 | \$262,575 | \$320,850 | \$356,625 | \$343,575 | \$379,350 | \$7,875 | \$9,225 | 8 | \$28,125 | \$18,000 |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304"
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal surface to be polished to 80 grit, External stainless steel surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: High speed chopper; Double jacket; Mirror polish, Bomb bay door, etc
- Bigger sizes are available as per request.



PNA CONICAL SCREW MIXER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|-----------|-----------|------------------|-----------------|---------------------|------------------|---------------------|----------------------|
| PNA-15 | 0.55/0.18 | \$19,013 | \$23,648 | \$23,918 | \$30,555 | \$30,825 | \$720 |
| PNA-50 | 1.5/0.18 | \$16,448 | \$21,398 | \$21,398 | \$29,273 | \$29,273 | \$1,013 |
| PNA-100 | 1.5/0.18 | \$21,758 | \$28,868 | \$28,868 | \$38,633 | \$38,633 | \$1,013 |
| PNA-200 | 2.2/0.37 | \$22,905 | \$34,470 | \$34,628 | \$45,833 | \$45,990 | \$1,125 |
| PNA-300 | 2.2/0.37 | \$26,033 | \$40,410 | \$40,658 | \$53,370 | \$53,618 | \$1,125 |
| PNA-500 | 3/0.37 | \$30,375 | \$47,093 | \$47,363 | \$60,030 | \$60,300 | \$1,125 |
| PNA-750 | 4/0.55 | \$36,540 | \$54,923 | \$55,350 | \$69,503 | \$69,908 | \$1,350 |
| PNA-1000 | 4/0.55 | \$41,715 | \$63,945 | \$64,485 | \$80,078 | \$80,618 | \$1,350 |
| PNA-1500 | 5.5/0.55 | \$48,330 | \$74,678 | \$75,510 | \$93,443 | \$94,253 | \$2,700 |
| PNA-2000 | 5.5/0.55 | \$55,013 | \$84,848 | \$85,793 | \$106,043 | \$106,988 | \$2,700 |
| PNA-2500 | 7.5/1.5 | \$59,873 | \$91,868 | \$92,948 | \$115,763 | \$116,843 | \$4,050 |
| PNA-3000 | 7.5/1.1 | \$63,090 | \$95,400 | \$96,750 | \$121,748 | \$123,098 | \$4,050 |
| PNA-4000 | 11/1.5 | \$78,930 | \$121,995 | \$123,638 | \$153,225 | \$154,868 | \$4,950 |
| PNA-5000 | 15/2.2 | \$90,068 | \$133,830 | \$135,990 | \$169,155 | \$171,315 | \$5,400 |
| PNA-6000 | 15/2.2 | \$100,260 | \$151,155 | \$153,878 | \$191,925 | \$194,625 | \$5,400 |
| PNA-8000 | 18.5/2.2 | \$108,675 | \$157,140 | \$160,605 | \$200,610 | \$204,075 | \$6,750 |
| PNA-10000 | 22/4 | \$120,555 | \$177,458 | \$181,778 | \$227,700 | \$232,020 | \$7,650 |
| PNA-12000 | 30/4 | \$131,085 | \$187,493 | \$192,668 | \$243,743 | \$248,918 | \$9,000 |
| PNA-15000 | 30/4 | \$155,543 | \$222,323 | \$228,780 | \$289,035 | \$295,493 | \$9,000 |
| PNA-20000 | 37/5.5 | \$195,278 | \$276,390 | \$285,008 | \$359,303 | \$367,920 | \$13,500 |
| PNA-25000 | 45/7.5 | \$218,205 | \$306,630 | \$317,408 | \$398,633 | \$409,410 | \$14,850 |
| PNA-30000 | 45/7.5 | \$241,133 | \$338,153 | \$351,090 | \$439,628 | \$452,565 | \$14,850 |

- ☞ PNA-15 is skid-mounted with frame and casters.
- ☞ Price (in USD) .
- ☞ "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304"
- ☞ Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- ☞ Polishing: Internal surface to be polished to 80 grit, External stainless steel surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- ☞ Motor/Gearbox by reliable suppliers
- ☞ Electric control cabinet is NOT included.
- ☞ Options: Double screws; Liquid adding device; Double jacket; Special discharge arrangement, Mirror polish, etc.
- ☞ Customized sizes are available as per request.



PVR VERTICAL RIBBON MIXER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Chopper in SS304 (unit price) | Chopper in SS316L (unit price) | Price less w/o drive |
|-----------|-----------|------------------|-----------------|---------------------|------------------|---------------------|-------------------------------|--------------------------------|----------------------|
| PVR-50 | 0.75 | \$9,788 | \$14,130 | \$14,130 | \$18,045 | \$18,045 | \$5,175 | \$5,850 | \$675 |
| PVR-100 | 1.5 | \$13,050 | \$18,473 | \$18,473 | \$23,490 | \$23,490 | \$5,175 | \$5,850 | \$788 |
| PVR-200 | 2.2 | \$13,860 | \$20,520 | \$20,655 | \$26,010 | \$26,145 | \$5,175 | \$5,850 | \$900 |
| PVR-300 | 3 | \$15,503 | \$24,255 | \$24,458 | \$30,173 | \$30,375 | \$5,175 | \$5,850 | \$1,013 |
| PVR-500 | 4 | \$18,225 | \$28,260 | \$28,530 | \$34,358 | \$34,650 | \$5,175 | \$5,850 | \$1,125 |
| PVR-750 | 5.5 | \$22,028 | \$32,738 | \$33,143 | \$39,803 | \$40,208 | \$5,175 | \$5,850 | \$1,350 |
| PVR-1000 | 7.5 | \$24,998 | \$38,048 | \$38,588 | \$46,193 | \$46,733 | \$5,175 | \$5,850 | \$2,250 |
| PVR-1500 | 11 | \$29,093 | \$44,550 | \$45,383 | \$54,090 | \$54,900 | \$5,850 | \$6,750 | \$2,700 |
| PVR-2000 | 15 | \$33,143 | \$50,400 | \$51,368 | \$60,998 | \$61,943 | \$5,850 | \$6,750 | \$4,050 |
| PVR-2500 | 15 | \$35,865 | \$54,630 | \$55,710 | \$66,578 | \$67,658 | \$5,850 | \$6,750 | \$4,050 |
| PVR-3000 | 18.5 | \$37,778 | \$56,790 | \$58,140 | \$70,088 | \$71,438 | \$5,850 | \$6,750 | \$4,050 |
| PVR-4000 | 18.5 | \$47,273 | \$72,563 | \$74,183 | \$87,480 | \$89,123 | \$5,850 | \$6,750 | \$4,050 |
| PVR-5000 | 22 | \$54,090 | \$79,335 | \$81,518 | \$95,625 | \$97,808 | \$5,850 | \$6,750 | \$5,400 |
| PVR-6000 | 30 | \$60,053 | \$89,663 | \$92,385 | \$108,428 | \$111,128 | \$5,850 | \$6,750 | \$6,075 |
| PVR-8000 | 37 | \$65,205 | \$92,993 | \$96,458 | \$114,188 | \$117,653 | \$5,850 | \$6,750 | \$9,000 |
| PVR-10000 | 45 | \$72,270 | \$104,648 | \$108,968 | \$128,543 | \$132,863 | \$7,875 | \$9,225 | \$12,375 |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304"
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal surface to be polished to 80 grit, External stainless steel surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: Chopper; Liquid adding device; Double jacket; Special discharge arrangement, Mirror polish, etc
- Bigger sizes are available as per request.



PAM VERTICAL PADDLE MIXER

| Model | Motor, KW | Price, All in SS304 | Price, SS316L/SS304 | Chopper in SS304 (unit price) | Chopper in SS316L (unit price) | Price less w/o drive |
|-----------|-----------|---------------------|---------------------|-------------------------------|--------------------------------|----------------------|
| PAM-30 | 1.1 | \$38,925 | \$46,575 | \$6,525 | \$7,200 | \$675 |
| PAM-50 | 1.5 | \$41,400 | \$49,725 | \$6,525 | \$7,200 | \$788 |
| PAM-100 | 3 | \$46,575 | \$55,800 | \$6,525 | \$7,200 | \$1,013 |
| PAM-200 | 4 | \$56,925 | \$68,400 | \$6,525 | \$7,200 | \$1,125 |
| PAM-300 | 5.5 | \$62,100 | \$74,475 | \$6,525 | \$7,200 | \$1,350 |
| PAM-500 | 7.5 | \$76,275 | \$91,575 | \$6,525 | \$7,200 | \$2,250 |
| PAM-750 | 11 | \$85,500 | \$102,375 | \$6,525 | \$7,200 | \$2,700 |
| PAM-1000 | 11 | \$98,325 | \$117,900 | \$6,525 | \$7,200 | \$2,700 |
| PAM-1500 | 15 | \$115,200 | \$135,900 | \$7,200 | \$8,100 | \$4,050 |
| PAM-2000 | 18.5 | \$137,250 | \$161,775 | \$7,200 | \$8,100 | \$4,050 |
| PAM-3000 | 22 | \$181,125 | \$213,750 | \$7,200 | \$8,100 | \$5,400 |
| PAM-4000 | 30 | \$207,000 | \$244,350 | \$7,200 | \$8,100 | \$6,075 |
| PAM-5000 | 37 | \$232,875 | \$267,750 | \$7,200 | \$8,100 | \$9,000 |
| PAM-6000 | 37 | \$251,100 | \$288,675 | \$7,200 | \$8,100 | \$9,000 |
| PAM-8000 | 45 | \$310,500 | \$357,075 | \$7,200 | \$8,100 | \$12,375 |
| PAM-10000 | 55 | \$349,425 | \$401,625 | \$9,000 | \$10,575 | \$13,500 |
| PAM-12000 | 75 | \$388,125 | \$446,400 | \$9,000 | \$10,575 | \$14,850 |
| PAM-15000 | 90 | \$439,875 | \$505,800 | \$9,000 | \$10,575 | \$19,800 |

- Price (in USD)
- "SS316L/SS304" means "contact parts in SS316L, other parts in SS304"
- Welds treatment: Internal / external welds to be continuous and ground smooth
- Polishing: Internal surface to be polished to 180 grit, External surface to be bead blasted
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: Chopper; Liquid adding; Double jacket; Mirror polishing, etc
- Bigger sizes are available as per request.



PDI HIGH SPEED MIXER

| Model | Motor, KW | Chopper, kW | Price, SS304 SS304/CS | Price, All in SS304) | Price, SS316L SS304/CS | Price, SS316L SS304 | Price less w/o drive |
|----------|-----------|-------------|-----------------------|-----------------------|------------------------|---------------------|----------------------|
| PDI-10 | 2.2 | 1.1 | \$22,950 | \$24,525 | \$24,075 | \$25,650 | \$1,013 |
| PDI-50 | 4 | 1.1 | \$25,200 | \$26,550 | \$27,000 | \$28,575 | \$1,350 |
| PDI-100 | 5.5 | 1.5 | \$32,850 | \$34,875 | \$36,000 | \$38,025 | \$2,250 |
| PDI-200 | 7.5 | 3 | \$42,975 | \$46,350 | \$46,350 | \$49,725 | \$2,700 |
| PDI-300 | 11 | 4 | \$52,875 | \$56,475 | \$56,700 | \$60,300 | \$4,050 |
| PDI-400 | 15 | 5.5 | \$62,550 | \$68,625 | \$67,500 | \$73,575 | \$4,050 |
| PDI-600 | 22 | 5.5 | \$74,025 | \$82,125 | \$80,325 | \$88,200 | \$6,075 |
| PDI-800 | 30 | 7.5 | \$93,375 | \$103,950 | \$101,475 | \$112,050 | \$9,000 |
| PDI-1000 | 37 | 11 | \$118,575 | \$133,425 | \$128,025 | \$143,100 | \$12,375 |
| PDI-1500 | 55 | 18.5 | \$164,475 | \$184,500 | \$178,200 | \$198,225 | \$14,850 |

- Price (in USD)
- "SS304/SS304/CS" means "contact parts in SS304, non-contact parts of mixer body in SS304, machine base in CS"; same as "SS316L/SS304/CS".
- "SS316L/SS304" means "contact parts in SS304, non-contact parts including machine base in SS304"
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal surface to be polished to 80 grit, External SS surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: Double jacket, Mirror polishing of contact parts, PLC control, etc



PVM V-SHAPED MIXER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L SS304/CS | Price, SS316L SS304 | Price less w/o drive |
|----------|-----------|------------------|-----------------|---------------------|------------------------|---------------------|----------------------|
| PVM-5 | 0.37 | \$6,975 | \$8,775 | \$10,800 | \$10,350 | \$12,375 | \$338 |
| PVM-15 | 0.37 | \$7,425 | \$9,675 | \$11,475 | \$11,025 | \$13,050 | \$338 |
| PVM-45 | 0.55 | \$9,225 | \$11,475 | \$13,725 | \$13,275 | \$15,525 | \$450 |
| PVM-100 | 0.75 | \$10,125 | \$12,600 | \$15,300 | \$15,075 | \$17,550 | \$450 |
| PVM-200 | 1.1 | \$15,300 | \$19,125 | \$22,725 | \$22,275 | \$25,875 | \$675 |
| PVM-300 | 1.5 | \$20,475 | \$25,650 | \$30,825 | \$29,925 | \$35,100 | \$788 |
| PVM-500 | 2.2 | \$22,725 | \$28,575 | \$34,200 | \$33,300 | \$39,150 | \$900 |
| PVM-750 | 3 | \$25,650 | \$31,725 | \$38,025 | \$37,350 | \$43,425 | \$1,013 |
| PVM-1000 | 4 | \$27,900 | \$34,875 | \$42,075 | \$41,400 | \$48,600 | \$1,125 |
| PVM-2000 | 5.5 | \$35,775 | \$44,550 | \$53,550 | \$52,425 | \$61,650 | \$1,350 |
| PVM-3000 | 7.5 | \$50,625 | \$63,675 | \$76,275 | \$74,700 | \$87,525 | \$2,250 |
| PVM-4000 | 11 | \$71,100 | \$89,100 | \$107,100 | \$104,625 | \$122,625 | \$2,700 |
| PVM-5000 | 15 | \$91,575 | \$114,300 | \$137,250 | \$134,550 | \$157,275 | \$4,050 |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, machine base frame in CS"; same as "SS316L/CS", "SS316L/SS304"
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal surface to be polished to 80 grit, External SS surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Manual loading manhole & Manual discharging valve
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: Double jacket, Liquid spraying device, Safety fence, Mirror polishing, etc



PTU 3D MIXER

| Model | Motor, KW | Price, SS304/CS | Price, All in SS304 | Price, SS316L/SS304/CS | Price, SS316L/SS304 | Price less w/o drive |
|---------|-----------|-----------------|---------------------|------------------------|---------------------|----------------------|
| PTU-5 | 0.25 | \$11,655 | \$12,420 | \$11,768 | \$12,555 | \$225 |
| PTU-15 | 0.37 | \$14,490 | \$15,795 | \$14,670 | \$15,975 | \$225 |
| PTU-50 | 1.5 | \$21,218 | \$23,288 | \$21,488 | \$23,558 | \$675 |
| PTU-100 | 2.2 | \$26,910 | \$29,768 | \$27,293 | \$30,150 | \$900 |
| PTU-300 | 4 | \$36,495 | \$41,670 | \$37,260 | \$42,435 | \$1,125 |

- Price (in USD)
- Standard mixer with Drum Holder for Interchangeable Drum for PTU-5/15/50, with 1x Drum included; and fixed drum for PTU-100 and 300.
- "SS304/CS" means "all built in SS304 except the machine base in CS"
- "All in SS304" means "all built in SS304, including the machine base"
- "SS316L/SS304/CS" means "drum in SS316L, non-contact parts in SS304 except machine base in CS"
- "SS316L/SS304" means "drum in SS316L, non-contact parts in SS304 including the machine base"
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal surface of drum to be mirror polished, External SS surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Motor/Gearbox by reliable suppliers
- Electric control panel is NOT included.
- Options: Safety fence, Electric control, Extra mixing drums



PDC DOUBLE CONE MIXER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L SS304/CS | Price, SS316L SS304 | Price less w/o drive |
|----------|-----------|------------------|-----------------|---------------------|------------------------|---------------------|----------------------|
| PDC-5 | 0.37 | \$6,975 | \$8,775 | \$10,800 | \$10,350 | \$12,375 | \$338 |
| PDC-15 | 0.37 | \$7,875 | \$9,900 | \$11,700 | \$11,475 | \$13,275 | \$338 |
| PDC-45 | 0.55 | \$9,675 | \$11,925 | \$14,400 | \$14,175 | \$16,875 | \$450 |
| PDC-100 | 0.75 | \$10,575 | \$13,050 | \$15,750 | \$15,300 | \$18,225 | \$450 |
| PDC-200 | 1.1 | \$15,750 | \$20,025 | \$23,850 | \$23,400 | \$27,225 | \$675 |
| PDC-300 | 1.5 | \$21,150 | \$26,325 | \$31,500 | \$31,050 | \$36,225 | \$788 |
| PDC-500 | 2.2 | \$23,625 | \$29,475 | \$34,875 | \$34,650 | \$40,050 | \$900 |
| PDC-750 | 3 | \$26,325 | \$32,850 | \$39,375 | \$38,475 | \$45,000 | \$1,013 |
| PDC-1000 | 4 | \$29,025 | \$36,225 | \$43,425 | \$42,525 | \$49,725 | \$1,125 |
| PDC-2000 | 5.5 | \$36,900 | \$46,350 | \$55,350 | \$54,450 | \$63,450 | \$1,350 |
| PDC-3000 | 7.5 | \$52,875 | \$65,700 | \$78,975 | \$77,175 | \$90,225 | \$2,250 |
| PDC-4000 | 11 | \$74,025 | \$92,025 | \$110,475 | \$108,225 | \$126,450 | \$2,700 |
| PDC-5000 | 15 | \$94,725 | \$118,575 | \$141,975 | \$139,275 | \$162,675 | \$4,050 |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, machine base frame in CS"; same as "SS316L/CS", "SS316L/SS304"
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal surface to be 80 grit polished, External SS surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Manual loading manhole & Manual discharging valve
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: Double jacket, Liquid spraying device, Safety fence, Mirror polishing, Bead blasting of external surface, etc



PDR DRUM MIXER

| Model | Motor, KW | Price, All in CS | Price, All in SS304 | Price less w/o drive | Extra hoop in CS | Extra hoop in SS304 |
|---------|-----------|------------------|---------------------|----------------------|------------------|---------------------|
| PDR-50 | 0.55 | \$9,900 | \$11,700 | \$338 | \$1,125 | \$1,575 |
| PDR-100 | 1.1 | \$10,350 | \$12,150 | \$450 | \$1,125 | \$1,575 |
| PDR-200 | 1.1 | \$10,350 | \$12,150 | \$450 | \$1,125 | \$1,575 |

- 🔗 Price (in USD)
- 🔗 Standard mixer with Drum Holder for Interchangeable Drum for PTU-5/15/50, with 1x Drum included; and fixed drum for PTU-100 and 300.
- 🔗 "SS304/CS" means "all built in SS304 except the machine base in CS"
- 🔗 "All in SS304" means "all built in SS304, including the machine base"
- 🔗 "SS316L/SS304/CS" means "drum in SS316L, non-contact parts in SS304 except machine base in CS"
- 🔗 "SS316L/SS304" means "drum in SS316L, non-contact parts in SS304 including the machine base"
- 🔗 Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- 🔗 Polishing: Internal surface of drum to be mirror polished, External SS surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- 🔗 Motor/Gearbox by reliable suppliers
- 🔗 Electric control panel is NOT included.
- 🔗 Options: Safety fence, Electric control, Extra mixing drums



PTPD VACUUM MIXER DRYER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Chopper in SS304 w/ DMS (unit price) | Chopper in SS316L w/ DMS (unit price) | Chopper (max. no.) | Double Mech. Seal for Main Shaft | Filter Housing (Jacketed Insulated) |
|------------|-----------|------------------|-----------------|---------------------|------------------|---------------------|--------------------------------------|---------------------------------------|--------------------|----------------------------------|-------------------------------------|
| PTPD-5L | 1.1 | \$31,050 | \$33,075 | \$36,000 | \$34,425 | \$37,350 | - | - | - | \$5,175 | \$6,525 |
| PTPD-10L | 1.1 | \$33,750 | \$36,000 | \$38,475 | \$37,350 | \$39,825 | - | - | - | \$5,175 | \$6,525 |
| PTPD-45 | 1.5 | \$41,850 | \$45,450 | \$48,375 | \$47,025 | \$49,950 | \$11,700 | \$13,500 | 1 | \$7,875 | \$7,875 |
| PTPD-70 | 1.5 | \$45,000 | \$49,725 | \$52,425 | \$51,300 | \$54,000 | \$11,700 | \$13,500 | 1 | \$7,875 | \$7,875 |
| PTPD-100 | 3 | \$46,800 | \$54,450 | \$56,700 | \$56,700 | \$58,950 | \$11,700 | \$13,500 | 1 | \$10,350 | \$10,350 |
| PTPD-200 | 4 | \$51,300 | \$60,075 | \$63,675 | \$62,775 | \$66,600 | \$11,700 | \$13,500 | 1 | \$10,350 | \$10,350 |
| PTPD-300 | 5.5 | \$54,675 | \$65,925 | \$70,875 | \$69,525 | \$74,475 | \$11,700 | \$13,500 | 1 | \$10,350 | \$10,350 |
| PTPD-500 | 7.5 | \$62,775 | \$75,825 | \$82,350 | \$79,875 | \$86,400 | \$11,700 | \$13,500 | 2 | \$13,050 | \$13,050 |
| PTPD-750 | 11 | \$72,450 | \$90,000 | \$96,750 | \$95,175 | \$101,925 | \$11,700 | \$13,500 | 2 | \$13,050 | \$13,050 |
| PTPD-1000 | 15 | \$82,350 | \$103,050 | \$112,050 | \$109,125 | \$118,350 | \$11,700 | \$13,500 | 2 | \$15,525 | \$15,525 |
| PTPD-1500 | 18.5 | \$100,575 | \$126,000 | \$137,250 | \$133,875 | \$144,900 | \$12,375 | \$14,175 | 2 | \$18,225 | \$18,225 |
| PTPD-2000 | 22 | \$124,650 | \$153,000 | \$164,925 | \$162,225 | \$174,150 | \$12,375 | \$14,175 | 3 | \$20,700 | \$20,700 |
| PTPD-3000 | 30 | \$156,375 | \$188,325 | \$204,750 | \$200,475 | \$216,900 | \$12,375 | \$14,175 | 3 | \$20,700 | \$20,700 |
| PTPD-4000 | 37 | \$182,250 | \$220,500 | \$238,275 | \$234,900 | \$252,900 | \$12,375 | \$14,175 | 4 | \$23,400 | \$20,700 |
| PTPD-5000 | 45 | \$209,700 | \$251,550 | \$272,700 | \$269,550 | \$290,925 | \$12,375 | \$14,175 | 4 | \$23,400 | \$20,700 |
| PTPD-6000 | 45 | \$233,325 | \$271,350 | \$295,650 | \$286,875 | \$311,175 | \$12,375 | \$14,175 | 4 | \$25,875 | \$23,400 |
| PTPD-8000 | 55 | \$256,725 | \$310,050 | \$337,500 | \$327,150 | \$354,600 | \$12,375 | \$14,175 | 4 | \$25,875 | \$23,400 |
| PTPD-10000 | 75 | \$285,300 | \$361,575 | \$390,825 | \$379,575 | \$408,825 | \$14,175 | \$16,875 | 6 | \$31,050 | \$25,875 |
| PTPD-12000 | 90 | \$337,050 | \$430,650 | \$464,400 | \$452,250 | \$486,225 | \$14,175 | \$16,875 | 6 | \$31,050 | \$25,875 |
| PTPD-15000 | 110 | \$382,500 | \$488,025 | \$527,175 | \$512,775 | \$551,925 | \$14,175 | \$16,875 | 6 | \$36,225 | \$28,575 |
| PTPD-20000 | 132 | \$427,950 | \$560,925 | \$605,025 | \$588,600 | \$632,700 | \$14,175 | \$16,875 | 8 | \$36,225 | \$28,575 |
| PTPD-25000 | 160 | \$479,700 | \$628,425 | \$676,800 | \$659,250 | \$707,625 | \$14,175 | \$16,875 | 8 | \$41,400 | \$31,050 |
| PTPD-30000 | 185 | \$525,375 | \$695,700 | \$749,700 | \$729,675 | \$783,450 | \$14,175 | \$16,875 | 8 | \$41,400 | \$31,050 |

- Price includes: Packing seals; Heating jacket (insulated); semi-ball valve (no valve for PTPD-5L / PTPD-10L, ball valve for PTPD-45 / PTP-70).
- Price (in USD)
- "SS304/SS304/CS" means "contact parts in SS304, jacket/sheathing in SS304, machine base in CS"; same as "SS316L/SS304/CS", "SS316L/SS304/SS304".
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal surface to be polished to 80 grit, External SS surface to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: Double mech. seals for main shaft; High speed chopper; Filter housing; Condenser; Mirror polish, etc
- Bigger sizes are available as per request.



PSG SIGMA MIXER

| Model | Motor, KW | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive | |
|----------|-----------|------------------|-----------------|---------------------|------------------|---------------------|----------------------|--|
| PSG-1 | 1.1 | \$22,950 | \$24,525 | \$25,650 | \$26,325 | \$27,450 | \$675 | |
| PSG-3 | 1.1 | \$25,425 | \$26,550 | \$27,900 | \$29,025 | \$30,600 | \$675 | |
| PSG-5 | 1.1 | \$25,650 | \$27,225 | \$28,575 | \$29,925 | \$31,275 | \$675 | |
| PSG-10 | 1.5 | \$31,275 | \$32,850 | \$34,650 | \$36,450 | \$38,250 | \$788 | |
| PSG-15 | 2.2 | \$38,025 | \$39,825 | \$41,625 | \$44,100 | \$45,450 | \$900 | |
| PSG-50 | 4 | \$60,075 | \$63,225 | \$67,950 | \$67,275 | \$72,225 | \$1,125 | |
| PSG-100 | 5.5 | \$65,250 | \$70,200 | \$76,275 | \$75,600 | \$81,675 | \$1,350 | |
| PSG-150 | 7.5 | \$70,425 | \$76,275 | \$83,475 | \$82,575 | \$90,000 | \$2,250 | |
| PSG-200 | 11 | \$75,600 | \$82,575 | \$91,125 | \$90,000 | \$98,325 | \$2,700 | |
| PSG-300 | 15 | \$86,175 | \$98,100 | \$112,050 | \$106,425 | \$120,150 | \$4,050 | |
| PSG-400 | 22 | \$101,025 | \$117,675 | \$137,250 | \$128,250 | \$147,825 | \$5,400 | |
| PSG-600 | 30 | \$126,450 | \$145,575 | \$167,850 | \$159,750 | \$182,250 | \$6,075 | |
| PSG-800 | 37 | \$139,950 | \$164,925 | \$193,275 | \$182,925 | \$211,050 | \$9,000 | |
| PSG-1000 | 45 | \$155,025 | \$184,050 | \$218,475 | \$205,650 | \$240,075 | \$12,375 | |
| PSG-1500 | 55 | \$189,000 | \$224,550 | \$266,625 | \$250,425 | \$292,500 | \$13,500 | |
| PSG-2000 | 75 | \$230,625 | \$272,250 | \$321,075 | \$301,950 | \$350,775 | \$14,850 | |
| PSG-2500 | 75 | \$283,950 | \$333,900 | \$392,625 | \$367,875 | \$426,600 | \$14,850 | |
| PSG-3000 | 110 | \$351,225 | \$409,275 | \$477,900 | \$446,400 | \$515,025 | \$23,625 | |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304"
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal parts polished to 80 grit, External SS parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Discharge arrangement: Manual tilting (PSG-1 ~ PSG-10); Hydraulic tilting (PSG-15 and above)
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: Easy cleaning design; Double jacket; Twin-motor/gearbox, Mirror polish, etc
- Bigger sizes are available as per request.



PSG-X SIGMA MIXTRUDER

| Model | Power (arms) | Power (screw) | Price, All in CS | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive | |
|-----------|--------------|---------------|------------------|-----------------|---------------------|------------------|---------------------|----------------------|--|
| PSG-1X | 1.1 | 0.55 | \$30,375 | \$31,725 | \$32,850 | \$33,975 | \$34,875 | \$788 | |
| PSG-3X | 1.1 | 0.55 | \$32,850 | \$34,650 | \$36,000 | \$37,575 | \$38,475 | \$788 | |
| PSG-5X | 1.1 | 0.55 | \$33,750 | \$35,775 | \$36,675 | \$38,475 | \$39,600 | \$788 | |
| PSG-10X | 1.5 | 0.75 | \$40,950 | \$42,750 | \$44,550 | \$46,575 | \$48,375 | \$900 | |
| PSG-15X | 2.2 | 1.1 | \$49,725 | \$51,975 | \$53,550 | \$56,250 | \$58,050 | \$1,013 | |
| PSG-50X | 4 | 1.5 | \$78,300 | \$81,675 | \$86,625 | \$86,625 | \$91,575 | \$1,350 | |
| PSG-100X | 5.5 | 3 | \$85,950 | \$91,125 | \$97,200 | \$96,975 | \$103,275 | \$2,250 | |
| PSG-150X | 7.5 | 4 | \$92,700 | \$99,000 | \$106,650 | \$106,425 | \$113,625 | \$2,700 | |
| PSG-200X | 11 | 5.5 | \$99,450 | \$107,325 | \$115,650 | \$115,425 | \$123,975 | \$4,050 | |
| PSG-300X | 15 | 5.5 | \$114,300 | \$127,350 | \$141,300 | \$136,350 | \$150,300 | \$4,050 | |
| PSG-400X | 22 | 7.5 | \$134,550 | \$153,000 | \$172,575 | \$164,475 | \$184,275 | \$6,075 | |
| PSG-600X | 30 | 11 | \$168,300 | \$189,225 | \$211,725 | \$204,975 | \$227,475 | \$9,000 | |
| PSG-800X | 37 | 11 | \$187,875 | \$214,200 | \$242,775 | \$234,225 | \$262,350 | \$12,375 | |
| PSG-1000X | 45 | 15 | \$207,225 | \$239,400 | \$273,600 | \$263,250 | \$297,675 | \$13,500 | |
| PSG-1500X | 55 | 18.5 | \$252,900 | \$292,050 | \$333,900 | \$320,625 | \$362,475 | \$14,850 | |
| PSG-2000X | 75 | 22 | \$308,250 | \$353,925 | \$402,975 | \$386,550 | \$435,375 | \$19,800 | |
| PSG-2500X | 75 | 30 | \$379,125 | \$434,025 | \$492,975 | \$471,375 | \$530,550 | \$19,800 | |
| PSG-3000X | 110 | 45 | \$468,000 | \$532,350 | \$600,750 | \$572,850 | \$641,475 | \$28,125 | |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS", "SS316L/SS304"
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal parts polished to 80 grit, External SS parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Discharge arrangement: Screw extruder
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: Double jacket; Twin-motor/gearbox, Mirror polish, etc
- Bigger sizes are available as per request.



PDP Double Planetary Mixer

| Model | Main Motor, kW | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L /SS304 | Price less w/o drive | Extra for Vacuum Construction | SS304 Jacket for Tank | Insulation for Tank Jacket & SS304 Cladding | Extra Mixing Tank in SS304 (without Jacket) | Extra Mixing Tank in SS304 (with Jacket & Insulation) | High Speed Dissolver (SS304) | High Speed Dissolver (SS316L) |
|----------|----------------|-----------------|---------------------|------------------|----------------------|----------------------|-------------------------------|-----------------------|---|---|---|------------------------------|-------------------------------|
| PDP-3 | 0.75 | \$27,675 | \$28,800 | \$30,600 | \$31,500 | \$675 | \$1,350 | \$1,350 | \$900 | \$2,925 | \$5,175 | \$2,250 | \$2,925 |
| PDP-5 | 1.5 | \$30,375 | \$31,275 | \$33,300 | \$34,425 | \$788 | \$1,575 | \$1,350 | \$900 | \$3,150 | \$5,400 | \$2,250 | \$2,925 |
| PDP-10 | 1.5 | \$36,000 | \$37,575 | \$39,600 | \$41,175 | \$788 | \$1,800 | \$1,688 | \$1,125 | \$3,825 | \$6,638 | \$2,250 | \$2,925 |
| PDP-30 | 4 | \$42,075 | \$45,000 | \$47,025 | \$49,950 | \$1,125 | \$2,250 | \$2,025 | \$1,350 | \$4,500 | \$7,875 | \$3,375 | \$4,500 |
| PDP-60 | 5.5 | \$49,500 | \$53,775 | \$55,575 | \$60,075 | \$1,350 | \$2,475 | \$2,475 | \$1,800 | \$5,400 | \$9,675 | \$4,500 | \$5,850 |
| PDP-100 | 7.5 | \$62,100 | \$67,950 | \$70,425 | \$76,275 | \$2,250 | \$3,150 | \$2,700 | \$1,800 | \$6,750 | \$11,250 | \$4,500 | \$5,850 |
| PDP-150 | 11 | \$74,025 | \$80,325 | \$82,800 | \$89,100 | \$2,700 | \$3,825 | \$3,150 | \$2,250 | \$7,875 | \$13,275 | \$4,500 | \$5,850 |
| PDP-200 | 11 | \$85,500 | \$92,025 | \$96,750 | \$103,500 | \$2,700 | \$4,500 | \$3,375 | \$2,475 | \$9,225 | \$15,075 | \$7,875 | \$10,350 |
| PDP-300 | 15 | \$108,450 | \$119,700 | \$124,200 | \$135,675 | \$4,050 | \$5,625 | \$3,825 | \$2,700 | \$11,925 | \$18,450 | \$7,875 | \$10,350 |
| PDP-400 | 18.5 | \$132,525 | \$148,500 | \$153,225 | \$169,200 | \$4,050 | \$6,975 | \$4,500 | \$3,150 | \$14,850 | \$22,500 | \$9,000 | \$11,700 |
| PDP-500 | 22 | \$166,050 | \$183,375 | \$187,875 | \$205,200 | \$5,400 | \$8,775 | \$5,175 | \$3,600 | \$18,225 | \$27,000 | \$10,125 | \$13,275 |
| PDP-600 | 30 | \$184,500 | \$202,950 | \$213,300 | \$231,525 | \$6,075 | \$9,675 | \$6,300 | \$4,500 | \$20,250 | \$31,050 | \$13,500 | \$17,550 |
| PDP-750 | 37 | \$187,875 | \$210,375 | \$218,475 | \$240,975 | \$9,000 | \$10,125 | \$6,750 | \$4,725 | \$20,925 | \$32,400 | \$13,500 | \$17,550 |
| PDP-1000 | 45 | \$204,975 | \$229,950 | \$236,025 | \$261,000 | \$12,375 | \$11,025 | \$7,875 | \$5,625 | \$22,950 | \$36,450 | \$15,750 | \$20,475 |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, other parts in CS"; same as "SS316L/CS".
- Welds treatment: Internal welds to be ground smooth, external welds to be left "as laid"
- Polishing: Internal parts polished to 80 grit, External SS parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- One (1x) mixing can included; mixing can without discharge valve
- Motor/Gearbox by reliable suppliers
- Electric control cabinet is NOT included.
- Options: Bayonet Shaft; Vacuum operation; Dissolver; Double jacket; Mirror polish, etc
- Bigger sizes are available as per request.



PVC Vacuum Emulsifying Mixer

| Model | PVC-50 | PVC-100 | PVC-150 | PVC-300 | PVC-500 | PVC-1000 |
|---|----------|----------|----------|----------|----------|----------|
| PVC mixing system, including: 1x single wall tank, 1x anchor mixer, 1x inline emulsifying mixer, 1x vacuum pump and pushbutton electrical control box; contact part in SS316L, non-contact in SS304 | \$31,625 | \$38,875 | \$40,250 | \$46,750 | \$57,500 | \$79,125 |
| Extra for welded jacket made in SS304 for tank | \$2,875 | \$3,875 | \$4,375 | \$5,750 | \$7,250 | \$8,625 |
| Pre-mix tank, including: 1x liquid agitator, contact part in SS316L, single wall | \$2,875 | \$3,625 | \$3,625 | \$4,375 | \$5,000 | \$5,750 |
| Volume (lit) | 50L | 100L | 100L | 150L | 300L | 500L |
| Extra for welded jacket made in SS304 for Pre-mix tank* | \$2,875 | \$3,625 | \$3,625 | \$4,375 | \$5,000 | \$5,750 |
| Volume (lit) | 50L | 100L | 100L | 150L | 300L | 500L |
| Extra for welded jacket made in SS304 for Pre-mix tank* | \$2,875 | \$3,625 | \$3,625 | \$4,375 | \$5,000 | \$5,750 |
| Volume (lit) | 50L | 100L | 100L | 150L | 300L | 500L |
| Extra for welded jacket made in SS304 for Pre-mix tank* | \$2,875 | \$3,625 | \$3,625 | \$4,375 | \$5,000 | \$5,750 |

- Price (in USD)
- Welds treatment: Both internal & external welds to be continuous & ground smooth
- Polishing: Internal surface to be polished to 180 grit, External SS surface to be uniformly polished
- Motor/Gearbox by reliable suppliers
- Customized sizes are available as per request



PS-C TOP MOUNTED HIGH SHEAR MIXER

| Model | Power, kW | Shaft Length, mm (a) | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|-----------|-----------|----------------------|-----------------|---------------------|------------------|---------------------|----------------------|
| PS-C/080K | 1.5 | \$438 | \$3,465 | \$3,600 | \$4,343 | \$4,478 | \$180 |
| PS-C/100K | 2.2 | \$750 | \$4,523 | \$4,658 | \$5,648 | \$5,760 | \$225 |
| PS-C/120K | 4 | \$875 | \$5,220 | \$5,490 | \$6,525 | \$6,773 | \$270 |
| PS-C/140K | 7.5 | \$1,000 | \$6,840 | \$7,223 | \$8,550 | \$8,933 | \$428 |
| PS-C/160K | 11 | \$1,025 | \$10,125 | \$10,643 | \$12,645 | \$13,163 | \$630 |
| PS-C/180K | 18.5 | \$1,375 | \$14,895 | \$15,818 | \$18,630 | \$19,530 | \$855 |
| PS-C/200K | 22 | \$1,438 | \$16,920 | \$18,090 | \$21,150 | \$22,298 | \$923 |
| PS-C/220K | 30 | \$1,500 | \$20,768 | \$22,455 | \$25,988 | \$27,653 | \$1,215 |
| PS-C/240K | 37 | \$1,625 | \$25,425 | \$27,383 | \$31,793 | \$33,750 | \$1,485 |
| PS-C/270K | 55 | \$1,875 | \$29,655 | \$32,895 | \$37,058 | \$40,298 | \$2,093 |
| PS-C/290K | 75 | \$1,938 | \$36,428 | \$40,433 | \$45,540 | \$49,545 | \$2,633 |
| PS-C/300K | 90 | \$2,000 | \$42,998 | \$48,060 | \$53,753 | \$58,793 | \$2,993 |

- Longer shaft length is available with extra cost.
- Price (in USD)
- Stator/Rotor type: K type as standard; V type is of the same price.
- "SS304/CS" means "contact parts in SS304, other parts in carbon steel"; same as "SS316L/CS".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Options: Single mechanical seal; Double mechanical seals, etc.
- Bigger sizes are available as per request.



PS-B BOTTOM MOUNTED HIGH SHEAR MIXER

| Model | Power, kW | Shaft Length, mm (a) | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|-----------|-----------|----------------------|-----------------|---------------------|------------------|---------------------|----------------------|
| PS-B/080K | 1.5 | 80 | \$4,208 | \$4,343 | \$5,288 | \$5,400 | \$180 |
| PS-B/100K | 2.2 | 100 | \$5,378 | \$5,513 | \$6,480 | \$6,593 | \$225 |
| PS-B/120K | 4 | 150 | \$6,255 | \$6,525 | \$7,515 | \$7,763 | \$270 |
| PS-B/140K | 7.5 | 150 | \$8,235 | \$8,618 | \$9,855 | \$10,238 | \$428 |
| PS-B/160K | 11 | 150 | \$12,173 | \$12,690 | \$14,603 | \$15,120 | \$630 |
| PS-B/180K | 18.5 | 180 | \$17,910 | \$18,810 | \$21,510 | \$22,410 | \$855 |
| PS-B/200K | 22 | 180 | \$20,318 | \$21,488 | \$24,345 | \$25,515 | \$923 |
| PS-B/220K | 30 | 190 | \$24,953 | \$26,618 | \$29,948 | \$31,613 | \$1,215 |
| PS-B/240K | 37 | 200 | \$30,510 | \$32,445 | \$36,608 | \$38,565 | \$1,485 |
| PS-B/270K | 55 | 210 | \$35,595 | \$38,835 | \$42,728 | \$45,945 | \$2,093 |
| PS-B/290K | 75 | 210 | \$43,673 | \$47,678 | \$52,425 | \$56,430 | \$2,633 |

- Longer shaft length is available with extra cost.
- Price (in USD)
- Stator/Rotor type: K type as standard; V type is of the same price.
- "SS304/CS" means "contact parts in SS304, other parts in carbon steel"; same as "SS316L/CS".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Options: Single mechanical seal; Double mechanical seals, etc.
- Bigger sizes are available as per request.



PC-1 SINGLE-STAGE INLINE EMULSIFYING MIXER

| Model | Power, kW | Price, SS304/CS | Price, All in SS304 (Agent) | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|-------------|-----------|-----------------|-----------------------------|------------------|---------------------|----------------------|
| PC-1/60K-UH | 4 | \$15,503 | \$15,750 | \$18,608 | \$18,855 | \$270 |
| PC-1/80K | 1.5 | \$4,613 | \$4,725 | \$5,535 | \$5,670 | \$180 |
| PC-1/100K | 2.2 | \$5,220 | \$5,355 | \$6,255 | \$6,390 | \$225 |
| PC-1/120K | 4 | \$7,133 | \$7,403 | \$8,573 | \$8,820 | \$270 |
| PC-1/140K | 5.5 | \$9,788 | \$10,170 | \$11,745 | \$12,128 | \$360 |
| PC-1/165K | 7.5 | \$11,340 | \$11,858 | \$13,613 | \$14,130 | \$428 |
| PC-1/180K | 11 | \$14,693 | \$15,593 | \$17,618 | \$18,518 | \$630 |
| PC-1/185K | 15 | \$18,743 | \$19,890 | \$22,478 | \$23,648 | \$743 |
| PC-1/200K | 22 | \$21,105 | \$22,793 | \$25,358 | \$27,045 | \$923 |
| PC-1/210K | 37 | \$27,630 | \$29,565 | \$33,165 | \$35,123 | \$1,485 |
| PC-1/230K | 45 | \$32,558 | \$35,775 | \$39,083 | \$42,300 | \$1,665 |
| PC-1/245K | 55 | \$41,423 | \$45,428 | \$49,703 | \$53,708 | \$2,093 |
| PC-1/260K | 75 | \$53,370 | \$58,433 | \$64,058 | \$69,120 | \$2,633 |
| PC-1/280K | 90 | \$65,858 | \$72,450 | \$79,020 | \$85,613 | \$2,993 |
| PC-1/290K | 132 | \$88,898 | \$96,795 | \$106,673 | \$114,570 | \$5,243 |

- Price (in USD)
- Stator/Rotor type: K type as standard, V type is of the same price.
- "SS304/CS" means "contact parts in SS304, other parts in carbon steel"; same as "SS316L/CS".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Single mechanical seal is included as standard (PC-1/60K-UH is with Double mechanical seals).
- Options: Double mechanical sealss, etc.
- Bigger sizes are available as per request.



PC-3 3-STAGE INLINE EMULSIFYING MIXER

| Model | Power, kW | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS (Agent) | Price, SS316L/SS304 | Price less w/o drive |
|-----------|-----------|-----------------|---------------------|--------------------------|---------------------|----------------------|
| PC-3/80K | 4 | \$10,913 | \$11,048 | \$13,095 | \$13,230 | \$270 |
| PC-3/100K | 5.5 | \$15,345 | \$15,593 | \$18,428 | \$18,675 | \$360 |
| PC-3/120K | 7.5 | \$18,675 | \$19,080 | \$22,433 | \$22,815 | \$428 |
| PC-3/140K | 11 | \$22,005 | \$22,523 | \$26,393 | \$26,910 | \$630 |
| PC-3/165K | 18.5 | \$29,385 | \$30,308 | \$35,258 | \$36,180 | \$855 |
| PC-3/180K | 22 | \$42,840 | \$44,010 | \$51,435 | \$52,605 | \$923 |
| PC-3/185K | 30 | \$54,405 | \$56,093 | \$65,318 | \$66,983 | \$1,215 |
| PC-3/200K | 45 | \$66,555 | \$68,490 | \$79,853 | \$81,788 | \$1,665 |
| PC-3/210K | 55 | \$78,503 | \$81,743 | \$94,208 | \$97,448 | \$2,093 |
| PC-3/230K | 75 | \$102,218 | \$106,223 | \$122,648 | \$126,653 | \$2,633 |
| PC-3/245K | 90 | \$119,340 | \$124,380 | \$143,190 | \$148,230 | \$2,993 |
| PC-3/260K | 110 | \$151,493 | \$158,108 | \$181,800 | \$188,393 | \$4,658 |
| PC-3/280K | 132 | \$197,573 | \$205,470 | \$237,083 | \$244,980 | \$5,243 |

- Price (in USD)
- Stator/Rotor type: K type as standard, V type is of the same price.
- "SS304/CS" means "contact parts in SS304, other parts in carbon steel"; same as "SS316L/CS".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Single mechanical seal is included as standard (PC-1/60K-UH is with Double mechanical seals).
- Options: Double mechanical sealss, etc.
- Bigger sizes are available as per request.



PCH SHEAR PUMP

| Model | Power, kW | Price, All SS304 | Price, SS316L/SS304 | Price less w/o drive |
|---------|-----------|------------------|---------------------|----------------------|
| PCH-100 | 4 | \$7,808 | \$9,383 | \$270 |
| PCH-130 | 7.5 | \$12,353 | \$14,828 | \$428 |
| PCH-160 | 18.5 | \$20,700 | \$24,840 | \$855 |
| PCH-190 | 30 | \$28,823 | \$34,605 | \$1,215 |
| PCH-210 | 37 | \$33,435 | \$40,118 | \$1,485 |

- Price (in USD)
- "SS316L/SS304" means "contact parts in SS316L, other parts in SS304".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polish and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Single mechanical seal is included as standard.
- (1x) Powder feeding hopper is included.
- Options: Double mechanical seals, powder feeding table, etc.
- Bigger sizes are available against request.



PT-C/Q-LS POWDER LIQUID MIXER

| Model | Power, kW | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|------------|-----------|-----------------|---------------------|------------------|---------------------|----------------------|
| PT-C/Q-LS1 | 3 | \$9,990 | \$10,508 | \$12,105 | \$12,623 | \$248 |
| PT-C/Q-LS2 | 11 | \$12,353 | \$13,118 | \$14,985 | \$15,750 | \$630 |
| PT-C/Q-LS3 | 22 | \$16,065 | \$17,100 | \$19,485 | \$20,520 | \$923 |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, other parts in carbon steel"; same as "SS316L/CS".
- Mixing element: Low shear pumping impeller & mesh stator ring
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Single mechanical seal is included as standard.
- (1x) Powder feeding hopper is included.
- Options: Overhead powder agitator, Double mechanical seals, Machine base with casters, etc.
- Bigger sizes are available against request.



PT-C/Q-HS POWDER LIQUID MIXER

DIRECT DRIVE

| Model | Power, kW | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|----------------|-----------|-----------------|---------------------|------------------|---------------------|----------------------|
| PT-C/Q-HS-80D | 1.5 | \$5,895 | \$6,030 | \$7,088 | \$7,223 | \$180 |
| PT-C/Q-HS-100D | 2.2 | \$6,525 | \$6,660 | \$7,808 | \$7,943 | \$225 |
| PT-C/Q-HS-120D | 4 | \$8,775 | \$9,023 | \$10,530 | \$10,800 | \$270 |
| PT-C/Q-HS-140D | 5.5 | \$11,430 | \$11,835 | \$13,725 | \$14,108 | \$360 |
| PT-C/Q-HS-165D | 7.5 | \$13,343 | \$13,860 | \$16,020 | \$16,538 | \$428 |

V-BELT DRIVE

| Model | Power, kW | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|----------------|-----------|-----------------|---------------------|------------------|---------------------|----------------------|
| PT-C/Q-HS-80B | 1.5 | \$6,593 | \$6,728 | \$7,920 | \$8,055 | \$180 |
| PT-C/Q-HS-100B | 2.2 | \$7,178 | \$7,290 | \$8,618 | \$8,753 | \$225 |
| PT-C/Q-HS-120B | 4 | \$9,473 | \$9,720 | \$11,363 | \$11,610 | \$270 |
| PT-C/Q-HS-140B | 5.5 | \$12,083 | \$12,465 | \$14,490 | \$14,873 | \$360 |
| PT-C/Q-HS-165B | 7.5 | \$13,995 | \$14,513 | \$16,785 | \$17,303 | \$428 |
| PT-C/Q-HS-180B | 11 | \$17,348 | \$18,248 | \$20,813 | \$21,713 | \$630 |
| PT-C/Q-HS-185B | 15 | \$21,398 | \$22,568 | \$25,673 | \$26,843 | \$743 |
| PT-C/Q-HS-200B | 22 | \$24,435 | \$26,100 | \$29,318 | \$31,005 | \$923 |
| PT-C/Q-HS-210B | 30 | \$29,970 | \$31,770 | \$35,933 | \$37,755 | \$1,215 |
| PT-C/Q-HS-210B | 37 | \$34,448 | \$36,383 | \$41,333 | \$43,268 | \$1,485 |
| PT-C/Q-HS-230B | 45 | \$36,518 | \$39,735 | \$43,808 | \$47,048 | \$1,665 |
| PT-C/Q-HS-245B | 55 | \$46,035 | \$50,040 | \$55,238 | \$59,265 | \$2,093 |
| PT-C/Q-HS-260B | 75 | \$58,635 | \$63,675 | \$70,380 | \$75,420 | \$2,633 |

- Price (in USD)
- "SS304/CS" means "contact parts in SS304, other parts in carbon steel"; same as "SS316L/CS".
- Mixing element: High shear, teeth coupled stator/rotor
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Single mechanical seal is included as standard.
- (1x) Powder feeding hopper is included.
- Options: Double mechanical seals, etc.
- Bigger sizes are available against request.



PT-C/Y POWDER LIQUID MIXER

| Model | Power, kW | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|------------|-----------|-----------------|---------------------|------------------|---------------------|----------------------|
| PT-C/Y-120 | 11 | \$21,038 | \$21,938 | \$25,223 | \$26,145 | \$630 |
| PT-C/Y-140 | 30 | \$30,218 | \$32,040 | \$36,270 | \$38,093 | \$1,215 |
| PT-C/Y-165 | 45 | \$42,728 | \$45,945 | \$51,255 | \$54,495 | \$1,665 |
| PT-C/Y-180 | 75 | \$65,700 | \$70,740 | \$78,840 | \$83,880 | \$2,633 |
| PT-C/Y-220 | 160 | \$148,883 | \$158,063 | \$178,650 | \$187,830 | \$6,098 |

- Price (in USD)
- "SS316L/SS304" means "contact parts in SS316L, other parts in SS304".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- (1x) Hand-held SS wand, flexible hose of 1M, a ball valve and a vacuum gauge are included.
- Single mechanical seal is included as standard.
- Options: Double mechanical seals, powder feeding table, etc.
- Bigger sizes are available against request.



PT-C/F POWDER LIQUID MIXER

| Model | Power, kW (Mixer) | Power, kW (Self-priming Pump) | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|------------|-------------------|-------------------------------|-----------------|---------------------|------------------|---------------------|----------------------|
| PT-C/F-120 | 4 | 1.5 | \$23,040 | \$24,075 | \$25,898 | \$26,933 | \$270 |
| PT-C/F-140 | 5.5 | 1.5 | \$24,975 | \$26,528 | \$28,103 | \$29,655 | \$360 |
| PT-C/F-165 | 7.5 | 4 | \$27,608 | \$29,678 | \$31,050 | \$33,120 | \$428 |
| PT-C/F-180 | 11 | 4 | \$32,220 | \$34,808 | \$36,248 | \$38,835 | \$630 |
| PT-C/F-200 | 22 | 5.5 | \$39,398 | \$42,503 | \$44,325 | \$47,430 | \$923 |
| PT-C/F-210 | 30 | 7.5 | \$44,663 | \$48,285 | \$50,243 | \$53,865 | \$1,215 |

- Price (in USD)
- "SS316L/SS304" means "contact parts in SS316L, other parts in SS304".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- (1x) Feeding table is included.
- Single mechanical seal is included as standard.
- Options: Double mechanical seals, etc.
- Bigger sizes are available against request.



PJ-C/X-N TOP MOUNTED JET AGITATOR

| Model | Power, kW | Shaft Length, mm (a) | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|------------|-----------|----------------------|-----------------|---------------------|------------------|---------------------|----------------------|
| PJ-C/080-N | 1.5 | 1,000 | \$4,815 | \$4,950 | \$5,805 | \$5,918 | \$180 |
| PJ-C/110-N | 3 | 1,500 | \$6,593 | \$6,863 | \$7,920 | \$8,168 | \$248 |
| PJ-C/145-N | 5.5 | 1,700 | \$9,855 | \$10,238 | \$11,858 | \$12,240 | \$360 |
| PJ-C/215-N | 11 | 2,300 | \$22,748 | \$23,265 | \$27,270 | \$27,788 | \$630 |
| PJ-C/245-N | 18.5 | 2,300 | \$27,630 | \$28,530 | \$33,165 | \$34,088 | \$855 |
| PJ-C/275-N | 30 | 2,500 | \$36,203 | \$37,890 | \$43,448 | \$45,135 | \$1,215 |
| PJ-C/345-N | 55 | 2,700 | \$50,738 | \$53,978 | \$60,885 | \$64,125 | \$2,093 |

- Longer shaft length is available with extra cost.
- Price (in USD)
- Stator/Rotor type: Deflector stator (without opening) & 3-blade rotor
- "SS304/CS" means "contact parts in SS304, other parts in carbon steel"; same as "SS316L/CS".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Options: Single mechanical seal; Double mechanical seals, etc.
- Bigger sizes are available against request.



PJ-C/X-O TOP MOUNTED JET DISPERSER

| Model | Power, kW | Shaft Length, mm (a) | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 | Price less w/o drive |
|------------|-----------|----------------------|-----------------|---------------------|------------------|---------------------|----------------------|
| PJ-C/080-O | 1.5 | 350 | \$4,208 | \$4,320 | \$5,063 | \$5,175 | \$180 |
| PJ-C/100-O | 2.2 | 600 | \$5,288 | \$5,400 | \$6,345 | \$6,480 | \$225 |
| PJ-C/120-O | 4 | 700 | \$6,210 | \$6,458 | \$7,470 | \$7,695 | \$270 |
| PJ-C/140-O | 7.5 | 800 | \$8,033 | \$8,393 | \$9,630 | \$9,990 | \$428 |
| PJ-C/160-O | 11 | 820 | \$11,948 | \$12,420 | \$14,333 | \$14,805 | \$630 |
| PJ-C/180-O | 18.5 | 1100 | \$17,955 | \$18,788 | \$21,555 | \$22,365 | \$855 |
| PJ-C/200-O | 22 | 1150 | \$19,958 | \$21,038 | \$23,940 | \$24,998 | \$923 |
| PJ-C/220-O | 30 | 1200 | \$24,593 | \$26,123 | \$29,543 | \$31,073 | \$1,215 |
| PJ-C/240-O | 37 | 1300 | \$29,948 | \$31,725 | \$35,933 | \$37,710 | \$1,485 |

- Longer shaft length is available with extra cost.
- Price (in USD)
- Stator/Rotor type: Deflector stator (without opening) & 3-blade rotor
- "SS304/CS" means "contact parts in SS304, other parts in carbon steel"; same as "SS316L/CS".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Options: Single mechanical seal; Double mechanical seals, etc.
- Bigger sizes are available against request.



PM MAGNETIC MIXER

| Model | Motor, kW | Impeller Dia. (mm) | Price, All in SS304 | Price, SS316L/SS304 |
|--------|-----------|--------------------|---------------------|---------------------|
| PM-90 | 0.18 | 90 | \$6,210 | \$6,615 |
| PM-120 | 0.37 | 120 | \$7,065 | \$7,538 |
| PM-155 | 0.55 | 155 | \$7,808 | \$8,303 |
| PM-200 | 0.75 | 200 | \$9,023 | \$9,518 |
| PM-220 | 1.5 | 220 | \$9,630 | \$10,148 |
| PM-240 | 2.2 | 240 | \$10,530 | \$11,205 |
| PM-260 | 4 | 260 | \$11,543 | \$12,240 |
| PM-320 | 5.5 | 320 | \$16,358 | \$17,483 |

- Price (in USD)
- Water ring vacuum pump & discharge pump are included.
- Electric control is NOT included.
- "SS304/CS" means "contact parts in SS304, other parts in carbon steel"; same as "SS316L/CS".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Options: Jacket for heating or cooling; fully automatic control, etc
- Bigger sizes are available against request.



PDA VACUUM DEAERATOR

| Model | Total Power, kW | Price, SS304/CS | Price, All in SS304 | Price, SS316L/CS | Price, SS316L/SS304 |
|----------|-----------------|-----------------|---------------------|------------------|---------------------|
| PDA-25 | 5.2 | \$58,275 | \$58,950 | \$75,600 | \$76,275 |
| PDA-65 | 7.4 | \$65,250 | \$66,825 | \$84,825 | \$86,400 |
| PDA-125 | 9.2 | \$74,475 | \$77,850 | \$96,975 | \$100,125 |
| PDA-300 | 13 | \$83,925 | \$89,100 | \$108,900 | \$114,075 |
| PDA-550 | 22.5 | \$93,150 | \$103,500 | \$121,050 | \$131,400 |
| PDA-1200 | 29.5 | \$111,825 | \$124,650 | \$145,350 | \$158,175 |

- Price (in USD)
- Water ring vacuum pump & discharge pump are included.
- Electric control is NOT included.
- "SS304/CS" means "contact parts in SS304, other parts in carbon steel"; same as "SS316L/CS".
- Welds treatment: Internal welds to be continuous & ground smooth; external welds to be "as welded"
- Polishing: Internal parts to be machined or 80 grit polished, External stainless steel parts to be uniformly polished and carbon steel parts to be primed and painted (RAL-9010 white, unless specified)
- Options: Jacket for heating or cooling; fully automatic control, etc
- Bigger sizes are available against request.





PerMix North America

Chicago, IL 60001
+1 (312) 883-7432 Office
+1 (855) PERMIX-USA Toll Free
www.permixmixers.com