



WE OFFER

PERFECT MIXING TECHNOLOGIES



PERMIX SIGMA MIXERS
& SIGMA EXTRUDERS:
PRECISION MIXING FOR
EVERY INDUSTRY



PerMix Sigma Mixers & Sigma Extruders

Engineered for Precision. Designed for Performance. Built for You.

What is a Sigma Mixer?

A Sigma Mixer—also called a Double Arm Kneader—is a heavy-duty mixer designed for the most challenging mixing tasks where high viscosity, pasty, dough-like, or sticky materials must be processed. Its heart is the pair of sigma-shaped blades that rotate at different speeds to knead, shear, and fold material with unmatched efficiency.

The asymmetric rotation creates intense mixing forces, ensuring even distribution of ingredients and complete homogenization. Depending on process needs, PerMix Sigma Mixers can be equipped with discharge options such as tilting, bottom extrusion, or direct connections to downstream equipment.

How They Work

1. Sigma Blades in Action

The two blades rotate toward each other at differential speeds (commonly in a 3:2 ratio). This motion stretches and folds the material, creating continuous mixing and kneading.

2. Extruder Discharge (Mixtruder Design)

For sticky, semi-solid, or viscous batches, a screw extruder mounted at the bottom of the trough gently and efficiently discharges the product. This avoids product loss and makes handling high-viscosity compounds easier.

3. Vacuum Capability

Many formulations benefit from vacuum mixing, which removes entrapped air, improves density, and enhances product stability. PerMix Sigma Mixers can be fitted with a robust vacuum lid, pumps, and condensers for vacuum mixing & drying.

Applications & Industries Served

PerMix Sigma Mixers are indispensable across industries where tough-to-mix materials demand power and precision:

Food & Beverage

Chewing gum, doughs, caramel, chocolate paste, fillings, sauces, textured proteins.

Pharmaceuticals

Adhesive plasters, ointments, high-viscosity APIs, controlled-release formulations.

Chemicals


Sealants, adhesives, resins, pigments, lubricants, silicone rubber, PVC compounds.

Cosmetics & Personal Care

Lipsticks, balms, creams, soaps, gels.

Specialty Materials

Battery slurries, conductive pastes, explosives, nanomaterial compounds.



Construction & Design Options

PerMix custom-builds each Sigma Mixer to match the application. Options include:

Constructions Materials

- **Food & pharma:** 304 / 316 / 316L stainless steel, polished or sanitary grade.
- **Abrasive or corrosive products:** Hardened steel, Hardox, Hastelloy, titanium.
- **Cost-sensitive applications:** Mild/carbon steel.

Heating & Cooling Jackets


Available with dimple jackets, half-pipe coils, or full jackets for precise thermal control during mixing.

Drive Configurations

- Variable speed drives for process flexibility.
- Heavy-duty gearboxes for high-torque applications.

Explosion Protection

- **ATEX-certified** designs for European Union compliance.
- **ExP (Explosion Proof)** versions for North America and beyond.



Vacuum & Drying Capabilities

When mixing under vacuum, the unit can also be adapted for mixing & drying:

- Moisture, solvents, or volatiles can be removed.
- Integrated condensers & recovery tanks allow solvent recovery.
- Ideal for pharmaceutical, chemical, and battery applications where dryness and purity matter.

Advance Options

Load Cells

Precision weighing & batch monitoring.

Ingredient Loading Option

- Manual loading via covers.
- Automated systems with pneumatic or vacuum conveying.
- Bag dump stations or drum/tote lifts.

Discharge Configurations

Tilting discharge, bottom discharge valves, or screw extruder discharge.

Sanitary Options

Clean-In-Place (CIP) spray nozzles, washdown designs, and hygienic seals.

Control Systems

PLC/HMI with recipe entry, process monitoring, and batch traceability.

Why PerMix Sigma Mixers?

Global Engineering

Designed with decades of process knowledge, manufactured with precision in the USA, Europe, and Asia.

Customization


Every unit is built to match your specific process—no cookie-cutter solutions.

Affordability

High-performance engineering at realistic prices.

Warranty & Service

Backed by industry-leading warranties and full global service support.



PerMix Sigma Mixers and Sigma Extruders are the ultimate solution for high-viscosity mixing, from chewing gum to conductive pastes. With options for vacuum, extrusion, ATEX/ExP safety, and specialized materials of construction, they are engineered to exceed the toughest industrial challenges.

Specifications

PerMix Sigma Mixer

Model	Total L	Working L, 40%	Working L, 60%	kW	RPM	L (mm)	W (mm)	H (mm)	KG
PSG-1	1	0.4	0.6	1.1	60/47	640	690	650	140
PSG-3	3	1.2	1.8	1.1	65/52	700	720	650	160
PSG-5	5	2	3	1.1	60/47	1,250	580	406	240
PSG-10	10	4	6	1.5	60/42	1,250	665	550	280
PSG-15	15	6	9	2.2	60/36	1,180	1,000	1,300	700
PSG-20	20	8	12	3	50/35	1,350	1,000	1,350	800
PSG-30	30	12	18	4	42/28	1,650	1,000	1,400	900
PSG-45	45	18	27	4	42/28	1,750	1,100	1,450	1,000
PSG-50	50	20	30	4	42/28	1,850	1,100	1,500	1,200
PSG-60	60	24	36	5.5	40/26	1,880	1,150	1,550	1,400
PSG-70	70	28	42	5.5	40/26	1,950	1,200	1,580	1,600
PSG-100	100	40	60	5.5	40/26	2,050	1,250	1,650	1,800
PSG-150	150	60	90	7.5	36/24	2,290	1,400	1,700	2,000
PSG-200	200	80	120	11	40/25	2,530	1,450	2,100	2,500
PSG-250	250	100	150	15	33/22	2,650	1,500	2,150	3,500
PSG-300	300	120	180	15	33/22	2,730	1,550	2,200	4,500
PSG-400	400	160	240	22	33/22	2,850	1,600	2,250	5,500
PSG-500	500	200	300	30	33/22	2,950	1,650	2,250	6,500
PSG-600	600	240	360	30	33/22	3,070	1,680	2,300	7,000
PSG-700	700	280	420	37	32/21	3,150	1,750	2,350	7,500
PSG-750	750	300	450	37	32/21	3,300	1,780	2,400	8,000
PSG-800	800	320	480	37	32/21	3,450	1,850	2,450	8,500
PSG-1000	1,000	400	600	45	32/21	3,600	1,900	2,550	9,500
PSG-1200	1,200	480	720	55	29/19	4,100	2,220	2,850	10,500
PSG-1500	1,500	600	900	55	29/19	4,200	2,320	2,950	11,000
PSG-2000	2,000	800	1200	75	29/19	4,800	2,800	3,100	13,000
PSG-2500	2,500	1000	1500	90	23/16	5,300	3,380	3,300	15,600
PSG-3000	3,000	1200	1800	110	23/16	5,900	3,900	3,500	18,000

Specifications

PerMix Sigma Mixer Extruder

Model	Total, L	Working, L	Working, L	kW	RPM	L (mm)	W (mm)	H (mm)	KG
PSG-1X	1	0.4	0.6	1.1	60/47	1,040	620	680	160
PSG-3X	3	1.2	1.8	1.1	60/47	1,100	650	700	180
PSG-5X	5	2	3	1.1	60/47	1,350	650	800	280
PSG-10X	10	4	6	1.5	60/42	1,350	700	950	320
PSG-15X	15	6	9	2.2	60/36	1,480	930	1,320	810
PSG-20X	20	8	12	3	50/35	1,600	850	1,150	920
PSG-30X	30	12	18	4	42/28	1,650	900	1,200	1,000
PSG-45X	45	18	27	4	42/28	1,700	950	1,280	1,200
PSG-50X	50	20	30	4	42/28	1,800	980	1,340	1,400
PSG-60X	60	24	36	5.5	40/26	1,850	1,050	1,360	1,600
PSG-70X	70	28	42	5.5	40/26	1,920	1,160	1,380	1,800
PSG-100X	100	40	60	5.5	40/26	2,100	1,285	1,390	2,100
PSG-150X	150	60	90	7.5	36/24	2,425	1,255	1,520	2,300
PSG-200X	200	80	120	11	40/25	2,500	1,270	1,650	2,900
PSG-250X	250	100	150	15	33/22	2,660	1,430	1,650	3,200
PSG-300X	300	120	180	15	33/22	3,000	1,450	1,850	4,100
PSG-400X	400	160	240	22	33/22	3,200	1,530	1,800	5,000
PSG-500X	500	200	300	30	33/22	3,300	1,650	2,050	5,900
PSG-600X	600	240	360	30	33/22	3,450	1,750	2,100	6,300
PSG-700X	700	280	420	37	32/21	3,500	1,800	2,150	6,800
PSG-750X	750	300	450	37	32/21	3,680	1,860	2,180	7,200
PSG-800X	800	320	480	37	32/21	3,800	1,480	2,200	7,700
PSG-1000X	1,000	400	600	45	32/21	4,500	1,600	2,240	8,600
PSG-1200X	1,200	480	720	55	29/19	4,700	1,650	2,300	9,500
PSG-1500X	1,500	600	900	55	29/19	4,800	1,700	2,400	9,900
PSG-2000X	2,000	800	1200	75	29/19	5,850	1,800	2,600	11,700
PSG-2500X	2,500	1000	1500	90	23/16	5,860	1,800	2,780	14,000
PSG-3000X	3,000	1200	1800	110	23/16	6,520	2,180	3,130	16,200



Global Factory & Office

PerMix North America (Factory)

Chicago, Illinois, 60601, USA
 Contact: Mr. John Paul
 Tel: +1 630-649-1357
 Email: John.paul@permixtec.com
www.permixmixers.com

PerMix India

Navi Mumbai, 400 708, India
 Contact: Mr. Anant Wagh
 Tel: +91 99304 69228
 Email: india@permixtec.com
www.permixmixers.in

PerMix Europe (Factory)

9900 Eeklo – Belgium
 Contact: Mr. Dimitri Baeten
 Tel: +32 9 430 50 17
 Email: dimitri.eu@permixtec.com
www.permixmixers-eu.com

PerMix UK

Scotland, Great Britain
 Contact: Mr. James Ryder
 Tel: +44 (0) 7554139667
 Email: james.ryder@permixtec.com
www.permixmixers.co.uk

PerMix China (Factory)

Shanghai, 201821, China
 Contact: Mr. Aaron Huang
 Tel: +86 133 911 68218
 Email: aaron.h@permixtec.com
www.permix.cn

PerMix Ukraine

Kyiv, 02095, Ukraine
 Contact: Mr. Viacheslav Pishyi
 Tel: +38 067 45 44 694
 Email: ua@permixtec.com
www.permixtec.com